

TFT display with CTP touch panel

Size	Model No.	Display resolution	Interface	Driver IC	Viewing angle	Touch panel	Operation Temp.	Brightness (nit)	Outline Dimension (mm)	Active size (mm)
1.4"	JRX014WXOMN008-C002A	454x454	MIPI	SH8601Z0	Free V.A	CTP	-20℃~70℃	450 nits	38.41*38.51*0.88	35.41*35.41
1.5"	JRX015QVFMN002-C001B	240x240	SPI&MCU&RGB	ST7789V	Free V.A	CTP	-20℃~70℃	320 nits	37.52*41.10*4.45	27.72*27.72
1.6"	JRX016HVOMN002-C001A	320x360	MIPI&SPI	RM69092	Free V.A	CTP	-20℃~70℃	320 nits	31.32*36.05*2.05	27.02*30.40
	JRX016WVFID001-C002A	400x400	MIPI	ST7797	Free V.A	CTP	-20℃~70℃	350 nits	51.94*52.94*3.09	39.84*39.84
1.77"	JRX018QVFIN016-C001A	240x320	MIPI	JD9852	Free V.A	CTP	-20℃~70℃	450 nits	39.70*52.50*4.85	26.64*35.52
	JRX018QQTBN009-C002A	128x160	SPI&MCU	ST7735S	V.A 12H	CTP	-20℃~70℃	400 nits	39.70*52.50*4.25	28.03*35.04
	JRX018QVFMN010-02-C001A-RS232	240x320	RS232	ST7789V	Free V.A	CTP	-20℃~70℃	250 nits	39.70*52.50*20.27	26.64*35.52
	JRX018QVFMN010-02-C001A-RS485	240x320	RS485	ST7789V	Free V.A	CTP	-20℃~70℃	250 nits	39.70*52.50*20.27	26.64*35.52
	JRX018QVFMN010-02-C001A-TTL	240x320	TTL	ST7789V	Free V.A	CTP	-20℃~70℃	200 nits	39.70*52.50*20.27	26.64*35.52
1.88"	JRX019QQFBN002-C001A	128x160	SPI&MCU	ST7735S	Free V.A	CTP	-20℃~70℃	900 nits	47.47*59.04*3.20	31.87*39.84
2.0"	JRX020LQFMA014-C003A	320x240	SPI&MCU&RGB	ILI9342C	Free V.A	CTP	-20℃~70℃	550 nits	54.50*47.56*4.15	40.80*30.60
	JRX020QVFIA013-C001A	240x320	MIPI	ILI9342C	Free V.A	CTP	-20℃~70℃	550 nits	35.80*52.10*4.40	30.60*40.80
	JRX020LQRMA017-C003A	320x240	SPI&MCU&RGB	JD9852	Free V.A	CTP	-20℃~70℃	300 nits	54.50*47.56*4.35	40.80*30.60
	JRX020WQFPA023-C003B	480x360	SPI+RGB	ILI9342C	Free V.A	CTP	-30℃~85℃	900 nits	54.50*47.56*4.15	40.82*30.62
	JRX020WQFIA024-C003B	480x360	MIPI	ST7701S	Free V.A	CTP	-30℃~85℃	820 nits	54.50*47.56*4.15	40.82*30.62
	JRX020LQFMA014-C003A-RS232	320x240	RS232	ST7701S	Free V.A	CTP	-20℃~70℃	600 nits	54.50*47.56*18.26	40.80*30.60
	JRX020LQFMA014-C003A-RS485	320x240	RS485	ILI9342C	Free V.A	CTP	-20℃~70℃	600 nits	54.50*47.56*18.26	40.80*30.60
	JRX020LQFMA014-C003A-TTL	320x240	TTL	ILI9342C	Free V.A	CTP	-20℃~70℃	600 nits	54.50*47.56*18.26	40.80*30.60
2.1"	JRX021WVFID002-C001A	480x480	MIPI	ST7701S	Free V.A	CTP	-20℃~70℃	500 nits	70.61*72.61*3.39	53.28*53.28
	JRX021WVFDP003-C001A	480x480	SPI+RGB	ST7701S	Free V.A	CTP	-20℃~70℃	500 nits	70.61*72.61*3.39	53.28*53.28
2.2"	JRX022QVTBD032-C002A	240x320	MCU	ST7789V	V.A 6H	CTP	-20℃~70℃	240 nits	41.70*56.16*4.63	33.48*44.64
	JRX022QVFMD018-C002A-RS232	240x320	RS232	ST7789V	Free V.A	CTP	-20℃~70℃	700 nits	41.70*56.16*18.87	33.84*45.12
	JRX022QVFMD018-C002A-RS485	240x320	RS485	ST7789V	Free V.A	CTP	-20℃~70℃	700 nits	41.70*56.16*18.87	33.84*45.12
	JRX022QVFMD018-C002A-TTL	240x320	TTL	ST7789V	Free V.A	CTP	-20℃~70℃	700 nits	41.70*56.16*18.87	33.84*45.12
2.3"	JRX023C-1-C004A	320x240	SPI&MCU&RGB	ILI9342C	V.A 12H	CTP	-20℃~70℃	280 nits	55.20*51.60*4.18	46.75*35.06
2.4"	JRX024QVFMA069-02-C021B	240x320	SPI&MCU&RGB	ST7789V	Free V.A	CTP	-30℃~80℃	450 nits	48.72*70.26*3.95	36.72*48.96
	JRX024QVFMA070-01-C021B	240x320	SPI&MCU&RGB	ST7789V	Free V.A	CTP	-20℃~70℃	500 nits	48.72*70.26*3.95	36.72*48.96

2.4"	JRX024QVFIA073-02-C021B	240x320	MIPI	JD9852	Free V.A	CTP	-20℃~70℃	500 nits	48.72*70.26*3.95	36.72*48.96
	JRX024QVFIA073-C009A	240x320	MIPI	JD9852	Free V.A	CTP	-20℃~70℃	500 nits	42.92*60.26*4.25	36.72*48.96
	JRX024QVFIA073-C021A	240x320	MIPI	JD9852	Free V.A	CTP	-20℃~70℃	500 nits	42.92*60.26*4.25	36.72*48.96
	JRX024QVFMA020-C003A	240x320	SPI&MCU&RGB	ST7789V	Free V.A	CTP	-20℃~70℃	400 nits	42.92*60.26*3.75	36.72*48.96
	JRX024QVFMA021-C003A	240x320	SPI&MCU&RGB	ST7789V	Free V.A	CTP	-20℃~70℃	450 nits	42.92*60.26*3.75	36.72*48.96
	JRX024QVFMA069-C009A	240x320	SPI&MCU&RGB	ST7789V	Free V.A	CTP	-30℃~80℃	520 nits	42.92*60.26*4.25	36.72*48.96
	JRX024QVFMA069-C021A	240x320	SPI&MCU&RGB	ST7789V	Free V.A	CTP	-30℃~80℃	520 nits	48.72*70.26*4.33	36.72*48.96
	JRX024QVRMA041A-C012A	240x320	SPI&MCU&RGB	ST7789V	Free V.A	CTP	-20℃~70℃	300 nits	42.92*60.26*4.20	36.72*48.96
	JRX024HVFID078-01-C029A	320x480	MIPI	ST7701S	Free V.A	CTP	-20℃~70℃	600 nits	44.52*69.88*4.38	33.12*49.68
	JRX024HVFPD079-01-C029A	320x480	SPI+RGB	ST7701S	Free V.A	CTP	-20℃~70℃	700 nits	44.52*69.88*4.38	33.12*49.68
	JRX024WVFPD102-C001A	800x480	RGB	HX8283-A	Free V.A	CTP	-20℃~70℃	950 nits	66.00*49.30*4.61	52.32*31.39
	JRX024WVFLD101-C001A	800x480	LVDS	HX8283-A	Free V.A	CTP	-20℃~70℃	990 nits	66.00*49.30*4.61	52.32*31.39
	JRX024VGFPD094-C021D	480x640	SPI+RGB	ST7701SI	Free V.A	CTP	-30℃~80℃	680 nits	48.72*70.26*3.94	36.72*48.96
	JRX024VGFD095-C021D	480x640	MIPI	ST7701SI	Free V.A	CTP	-30℃~80℃	680 nits	48.72*70.26*3.94	36.72*48.96
	JRX024VGFPD094-C021D-RS232	480x640	RS232	ST7701S	Free V.A	CTP	-20℃~70℃	740 nits	48.72*70.26*19.71	36.72*48.96
	JRX024VGFPD094-C021D-RS485	480x640	RS485	ST7701S	Free V.A	CTP	-20℃~70℃	740 nits	48.72*70.26*19.71	36.72*48.96
	JRX024VGFPD094-C021D-TTL	480x640	TTL	ST7701S	Free V.A	CTP	-20℃~70℃	740 nits	48.72*70.26*19.71	36.72*48.96
	JRX024QVFMA021-C003B	240x320	SPI&MCU&RGB	ST7789V	Free V.A	CTP	-20℃~70℃	350 nits	48.72*70.26*4.03	36.72*48.96
	JRX024QVFMA020-06-C003A	240x320	SPI&MCU&RGB	ST7789V	Free V.A	CTP	-20℃~70℃	400 nits	42.92*60.26*3.75	36.72*48.96
	JRX024QVFMA020-C009A-RS232	240x320	RS232	ST7789V	Free V.A	CTP	-20℃~70℃	500 nits	42.92*60.26*20.00	36.72*48.96
	JRX024QVFMA020-C009A-RS485	240x320	RS485	ST7789V	Free V.A	CTP	-20℃~70℃	500 nits	42.92*60.26*20.00	36.72*48.96
	JRX024QVFMA020-C009A-TTL	240x320	TTL	ST7789V	Free V.A	CTP	-20℃~70℃	500 nits	42.92*60.26*20.00	36.72*48.96
	JRX024QVRMA038A-C015A	240x320	SPI&MCU&RGB	ST7789V	Free V.A	CTP	-20℃~70℃	220 nits	48.72*70.26*4.20	36.72*48.96
	JRX024VGFPD094-C042A	480x640	SPI+RGB	ST7701SI	Free V.A	CTP	-30℃~80℃	900 nits	42.92*60.26*3.95	36.72*48.96
	JRX024EGOIN148-C041A	450x600	SPI/MCU/MIPI	ICNA3312	Free V.A	CTP	-20℃~80℃	850 nits	38.68*51.56*0.73	36.72*48.96
2.6"	JRX026QVFM007-C006A	240x320	SPI&MCU&RGB	ST7789V	Free V.A	CTP	-20℃~70℃	400 nits	46.00*64.00*4.08	39.60*52.80
	JRX026LQTM008-C001A	320x240	SPI&MCU&RGB	ILI9342C	V.A 12H	CTP	-20℃~70℃	270 nits	60.30*51.15*4.05	52.80*39.60
	JRX026WXFLD022-C008A	1280x720	LVDS	SC5014	Free V.A	CTP	-20℃~70℃	1200 nits	73.88*53.46*4.37	57.60*32.40
	JRX026HVRMA010-C004B	320x432	SPI&MCU&RGB	ILI9488	Free V.A	CTP	-30℃~85℃	420 nits	46.76*65.85*4.26	39.84*53.78
	JRX026WXFLD022-C008A-RS232	1280x720	RS232	SC5014	Free V.A	CTP	-20℃~70℃	1400 nits	73.88*53.46*18.61	57.60*32.40
	JRX026WXFLD022-C008A-TTL	1280x720	TTL	SC5014	Free V.A	CTP	-20℃~70℃	1400 nits	73.88*53.46*18.61	57.60*32.40
	JRX026WXFLD022-C008A-RS485	1280x720	RS485	SC5014	Free V.A	CTP	-20℃~70℃	1400 nits	73.88*53.46*18.61	57.60*32.40

2.7"	JRX027HVFMD010-C004A	320x320	SPI&MCU&RGB	ST7796	Free V.A	CTP	-30℃~85℃	800 nits	63.40*69.90*3.77	48.96*48.96
	JRX027HVFID009-C004A	320x320	MIPI	ST7796	Free V.A	CTP	-30℃~85℃	800 nits	63.40*69.90*3.77	48.96*48.96
	JRX027HVFMD010-C004A-RS232	320x320	RS232	ST7796	Free V.A	CTP	-20℃~70℃	800 nits	63.40*69.90*19.50	48.96*48.96
	JRX027HVFMD010-C004A-RS485	320x320	RS485	ST7796	Free V.A	CTP	-20℃~70℃	800 nits	63.40*69.90*19.50	48.96*48.96
	JRX027HVFMD010-C004A-TTL	320x320	TTL	ST7796	Free V.A	CTP	-20℃~70℃	800 nits	63.40*69.90*19.50	48.96*48.96
2.8"	JRX028FM-1-C002A	240x320	SPI&MCU&RGB	ST7789V	Free V.A	CTP	-20℃~70℃	750 nits	50.50*69.70*3.85	43.20*57.60
	JRX028FM-1-C004A	240x320	SPI&MCU&RGB	ST7789V	Free V.A	CTP	-20℃~70℃	750 nits	56.10*77.29*4.10	43.20*57.60
	JRX028FM-1-CTP-001	240x320	SPI&MCU&RGB	ST7789V	Free V.A	CTP	-20℃~70℃	430 nits	56.10*77.29*4.38	44.20*58.60
	JRX028FM-1-C020A	240x320	SPI&MCU&RGB	ST7789V	Free V.A	CTP	-20℃~70℃	750 nits	50.50*69.70*4.36	43.20*57.60
	JRX028QVTMA005-C002A	240x320	SPI&MCU&RGB	ST7789V	V.A 12H	CTP	-20℃~70℃	410 nits	50.20*69.70*3.85	43.20*57.60
	JRX028FM-1-01-C019A	240x320	SPI&MCU&RGB	ST7789V	Free V.A	CTP	-20℃~70℃	750 nits	56.10*77.29*3.69	43.20*57.60
	JRX028QVTMA013-C020A	240x320	SPI&MCU&RGB	ST7789V	V.A 12H	CTP	-20℃~70℃	550 nits	50.50*69.70*4.35	43.20*57.60
	JRX028QVFMA011-C020A	240x320	SPI&MCU&RGB	ST7789V	Free V.A	CTP	-20℃~70℃	550 nits	50.50*69.70*4.35	43.20*57.60
	JRX028QVTMA005-C020A	240x320	SPI&MCU&RGB	ST7789V	V.A 12H	CTP	-20℃~70℃	550 nits	50.50*69.70*4.35	43.20*57.60
	JRX028QVFIA038-C018A	240x320	MIPI	JD9852	Free V.A	CTP	-20℃~70℃	610 nits	50.50*69.70*4.35	43.20*57.60
	JRX028VGFD048-C026A	480x640	MIPI	ST7701S	Free V.A	CTP	-20℃~70℃	670 nits	56.10*77.29*3.29	43.20*57.60
	JRX028VGFPD047-C026A	480x640	SPI+RGB	ST7701S	Free V.A	CTP	-20℃~70℃	670 nits	56.10*77.29*3.29	43.20*57.60
	JRX028QVFID051-C028A	240x320	MIPI	JD9852	Free V.A	CTP	-20℃~70℃	610 nits	50.50*69.70*4.14	43.20*57.60
	JRX028VGFPD047-C026A-SP001A-HDMI	480x640	HDMI	ST7701S	Free V.A	CTP	-20℃~70℃	670 nits	56.10*77.29*3.29	43.20*57.60
	JRX028WXFPD057-C040A	480x480	SPI+RGB	ST7701S	Free V.A	CTP	-20℃~70℃	500 nits	87.73*89.73*3.39	70.13*70.13
	JRX028WXFID056-C040A	480x480	MIPI	ST7701S	Free V.A	CTP	-20℃~70℃	500 nits	87.73*89.73*3.39	70.13*70.13
	JRX028VGFD048-C026A-SP002A-TypeC	480x640	Type C	ST7701S	V.A 12H	CTP	-20℃~70℃	670 nits	56.10*77.29*15.00	43.20*57.60
	JRX028QVTMA005-C020A-RS232	240x320	RS232	ST7789V	V.A 12H	CTP	-20℃~70℃	550 nits	50.50*69.70*4.35	43.20*57.60
	JRX028QVTMA005-C020A-RS485	240x320	RS485	ST7789V	V.A 12H	CTP	-20℃~70℃	550 nits	50.50*69.70*4.35	43.20*57.60
	JRX028QVTMA005-C020A-TTL	240x320	TTL	ST7789V	Free V.A	CTP	-20℃~70℃	550 nits	50.50*69.70*4.35	43.20*57.60
	JRX028VGFPD047-C026A-RS232	480x640	RS232	ST7701S	Free V.A	CTP	-20℃~70℃	670 nits	56.10*77.29*19.00	43.20*57.60
	JRX028VGFPD047-C026A-RS485	480x640	RS485	ST7701S	Free V.A	CTP	-20℃~70℃	670 nits	56.10*77.29*3.29	43.20*57.60
	JRX028VGFPD047-C026A-TTL	480x640	TTL	ST7701S	Free V.A	CTP	-20℃~70℃	670 nits	56.10*77.29*3.29	43.20*57.60
	JRX028FM-1-04-C020A-RS232	240x320	RS232	ST7789V	Free V.A	CTP	-20℃~70℃	650 nits	50.50*69.70*4.36	43.20*57.60
	JRX028FM-1-04-C020A-RS485	240x320	RS485	ST7789V	Free V.A	CTP	-20℃~70℃	650 nits	50.50*69.70*4.36	43.20*57.60
	JRX028FM-1-04-C020A-TTL	240x320	TTL	ST7789V	Free V.A	CTP	-20℃~70℃	650 nits	50.50*69.70*4.36	43.20*57.60
	JRX028QVRMD073-C050A	240x320	SPI&MCU&RGB	ST7789V2	Free V.A	CTP	30℃~80℃	150 nits	52.90*79.30*3.95	43.20*57.60
	JRX028QVFMA011-02-C020A	240x320	SPI&MCU&RGB	ST7789V	Free V.A	CTP	-20℃~70℃	550 nits	50.50*69.70*4.35	43.20*57.60

2.9"	JRX029QHFPD002-C001A	376x960	RGB	ST7701S	Free V.A	CTP	-20℃~70℃	500 nits	40.20*85.60*3.26	26.51*67.68
	JRX029QHFD001-C004A	376x960	MIPI	ST7701S	Free V.A	CTP	-20℃~70℃	500 nits	40.20*85.60*3.26	26.51*67.68
	JRX029QHFPD002-C004A	376x960	RGB	ST7701S	Free V.A	CTP	-20℃~70℃	500 nits	40.20*85.60*3.26	26.51*67.68
	JRX029QHFD001-C001A-SP001A-HDMI	376x960	HDMI	SC7283	Free V.A	CTP	-20℃~70℃	500 nits	40.20*85.60*3.26	26.51*67.68
3.0"	JRX030WQFMD019-C020B	240x400	SPI&MCU&RGB	ST7796S	Free V.A	CTP	-20℃~70℃	350 nits	45.04*77.00*4.30	38.88*64.80
	JRX030NHFID015B-C008A	360x640	MIPI	ST7701S	Free V.A	CTP	-20℃~70℃	300 nits	48.14*83.50*3.82	36.72*65.28
	JRX030NHFPN017-C015A	360x640	SPI+RGB	ST7701S	Free V.A	CTP	-20℃~70℃	300 nits	52.57*83.28*4.22	36.72*65.28
	JRX030FWFPN022A-C018A	480x854	RGB	ST7701S	Free V.A	CTP	-30℃~85℃	500 nits	52.57*83.28*4.22	36.72*65.28
	JRX030FWFIN021A-C018A	480x854	MIPI	ST7701S	Free V.A	CTP	-30℃~85℃	500 nits	52.57*83.28*4.22	36.72*65.28
	JRX030WVFID029-C028A	268x800	MIPI	ST7701S	Free V.A	CTP	-20℃~70℃	350 nits	36.96*90.08*2.79	24.12*72.00
	JRX030WVFPD030-C028A	268x800	SPI+RGB	ST7701S	Free V.A	CTP	-20℃~70℃	650 nits	36.96*90.08*2.79	24.12*72.00
3.1"	JRX031WVFPD002-C001A	480x800	RGB	ST7701S	Free V.A	CTP	-20℃~70℃	350 nits	62.80*86.80*3.83	40.32*67.20
	JRX031WVFID001-C001A	480x800	MIPI	ST7701S	Free V.A	CTP	-20℃~70℃	320 nits	62.80*86.80*3.83	40.32*67.20
	JRX031WVFPD002-C001A-RS232	480x800	RS232	ST7701S	Free V.A	CTP	-20℃~70℃	350 nits	62.80*86.80*3.83	40.32*67.20
	JRX031WVFPD002-C001A-RS485	480x800	RS485	ST7701S	Free V.A	CTP	-20℃~70℃	350 nits	62.80*86.80*3.83	40.32*67.20
	JRX031WVFPD002-C001A-TTL	480x800	TTL	ST7701S	Free V.A	CTP	-20℃~70℃	350 nits	62.80*86.80*3.83	40.32*67.20
3.2"	JRX032QVTMA011-C002A	240x320	SPI&MCU&RGB	ST7789V	V.A 6H	CTP	-20℃~70℃	370 nits	55.00*77.20*3.85	48.60*64.80
	JRX032QVTMA015-C002A	240x320	SPI&MCU&RGB	ST7789V	V.A 6H	CTP	-20℃~70℃	350 nits	55.00*77.20*3.85	48.60*64.80
	JRX032QVFMD028-C002A-RS232	240x320	RS232	ST7789V	Free V.A	CTP	-20℃~70℃	450 nits	54.99*77.20*3.65	48.60*64.80
	JRX032QVFMD028-C002A-RS485	240x320	RS485	ST7789V2	Free V.A	CTP	-20℃~70℃	450 nits	54.99*77.20*15.10	48.60*64.80
	JRX032QVFMD028-C002A-TTL	240x320	TTL	ST7789V2	Free V.A	CTP	-20℃~70℃	450 nits	54.99*77.20*3.65	48.60*64.80
	JRX032VGFPD035-C008A	480x640	SPI+RGB	ST7701SN	Free V.A	CTP	-20℃~70℃	700 nits	66.85*85.51*4.25	49.25*65.66
	JRX032VGFD034-C008A	480x640	MIPI	ST7701SN	Free V.A	CTP	-20℃~70℃	850 nits	66.85*85.51*4.25	49.25*65.66
3.4"	JRX034WXFID001-C001A	480x480	MIPI	ST7701S	Free V.A	CTP	-20℃~70℃	850 nits	65.72*69.64*4.13	60.48*60.48
	JRX034WXFPD002-C001A	480x480	SPI+RGB	ST7701S	Free V.A	CTP	-20℃~70℃	1000 nits	65.72*69.64*4.13	60.48*60.48
	JRX034WXFID001-C001A-SP002A-TypeC	480x480	Type C	ST7701S	Free V.A	CTP	-20℃~70℃	850 nits	65.72*69.64*16.00	60.48*60.48
	JRX034WXFLD005-C001A	480x480	LVDS	ST7701S	Free V.A	CTP	-20℃~70℃	800 nits	65.72*69.64*6.34	60.48*60.48
	JRX034WXFPD002-C001A-RS232	480x480	RS232	ST7701S	Free V.A	CTP	-20℃~70℃	850 nits	65.72*69.64*15.10	60.48*60.48
	JRX034WXFPD002-C001A-RS485	480x480	RS485	ST7701S	Free V.A	CTP	-20℃~70℃	850 nits	65.72*69.64*15.10	60.48*60.48
	JRX034WXFPD002-C001A-TTL	480x480	TTL	ST7701S	Free V.A	CTP	-20℃~70℃	850 nits	65.72*69.64*15.10	60.48*60.48

3.5"	JRX035LQFPA093-C051A	320x240	RGB	ST7272A	Free V.A	CTP	-30℃~85℃	470 nits	76.90*63.90*4.85	70.08*52.56
	JRX035LQFPD093-02-C037B	320x240	RGB	ST7272A	Free V.A	CTP	-30℃~85℃	470 nits	86.84*74.84*4.51	70.08*52.56
	JRX035C-10H-C010A	320x240	RGB	HX8238D	V.A 12H	CTP	-20℃~70℃	400 nits	76.90*63.90*4.52	70.08*52.56
	JRX035C-10H-C037B	320x240	RGB	HX8238D	V.A 12H	CTP	-20℃~70℃	380 nits	86.84*74.84*4.38	70.08*52.56
	JRX035HVTIA067-C022A	320x480	MIPI	ILI9488	V.A 6H	CTP	-20℃~70℃	350 nits	55.50*84.96*3.75	48.96*73.44
	JRX035HVTMA026-C009A	320x480	SPI&MCU&RGB	ILI9488	V.A 6H	CTP	-20℃~70℃	270 nits	55.50*84.96*3.75	48.96*73.44
	JRX035HVTMA027-C009A	320x480	SPI&MCU&RGB	ILI9488	V.A 6H	CTP	-20℃~70℃	360 nits	55.50*84.96*4.05	48.96*73.44
	JRX035LQFPA093-01-C036A	320x240	RGB	ST7272A	Free V.A	CTP	-30℃~85℃	1300 nits	76.90*63.90*4.40	70.08*52.56
	JRX035LQFPA093-C036A	320x240	RGB	ST7272A	Free V.A	CTP	-30℃~85℃	470 nits	76.90*63.90*4.40	70.08*52.56
	JRX035LQFPA093-C037A	320x240	RGB	ST7272A	Free V.A	CTP	-30℃~85℃	470 nits	86.84*74.84*4.40	70.08*52.56
	JRX035QVFMA064-04-C021A	240x320	SPI&MCU&RGB	HX8347A	Free V.A	CTP	-30℃~85℃	400 nits	63.00*85.00*4.73	53.28*71.04
	JRX035VGfIA111-C041A	480x640	MIPI	ILI9806E	Free V.A	CTP	-20℃~70℃	360 nits	64.00*85.00*4.75	53.28*71.04
	JRX035VGfPA094-C035A	480x640	RGB	ILI9806E	Free V.A	CTP	-20℃~70℃	540 nits	64.00*85.00*4.55	53.28*71.04
	JRX035WVFID121-C043A	480x800	MIPI	ST7701S	Free V.A	CTP	-20℃~70℃	420 nits	60.16*96.30*4.46	45.36*75.60
	JRX035WVFDP122-C047A	480x800	SPI+RGB	ST7701S	Free V.A	CTP	-20℃~70℃	380 nits	60.16*96.30*4.46	45.36*75.60
	JRX035HVTMA026-C052A	320x480	SPI&MCU&RGB	ILI9488	V.A 6H	CTP	-20℃~70℃	300 nits	55.50*84.96*4.25	48.96*73.44
	JRX035HVTMA027-C053A	320x480	SPI&MCU&RGB	ILI9488	V.A 6H	CTP	-20℃~70℃	300 nits	55.50*84.96*4.25	48.96*73.44
	JRX035HVTMA026-C052A-RS232	320x480	RS232	ILI9488	V.A 6H	CTP	-20℃~70℃	300 nits	55.50*84.96*15.10	48.96*73.44
	JRX035VGfPD094-01-C055A	480x640	SPI+RGB	ILI9806E	Free V.A	CTP	-20℃~70℃	570 nits	69.96*92.96*4.93	53.28*71.04
	JRX035VGfIA111A-01-C041A	480x640	MIPI	ILI9806E	Free V.A	CTP	-20℃~70℃	1250 nits	64.00*85.00*4.75	53.28*71.04
	JRX035VGfPA094-02-C041A	480x640	SPI+RGB	ILI9806E	Free V.A	CTP	-20℃~70℃	1300 nits	64.00*85.00*4.75	53.28*71.04
	JRX035HVFMD145-01-C005C	320x480	SPI&MCU&RGB	ST7796	Free V.A	CTP	-20℃~70℃	900 nits	61.90*96.04*3.90	48.96*73.44
	JRX035HVFMD137-C009A	320x480	SPI&MCU&RGB	ST7796S	Free V.A	CTP	-20℃~70℃	550 nits	55.30*84.76*3.31	48.96*73.44
	JRX035HVFMA138-C009A	320x480	SPI&MCU&RGB	ST7796S	Free V.A	CTP	-20℃~70℃	340 nits	55.50*84.96*3.75	48.96*73.44
	JRX035HVFMA139-C030A	320x480	SPI&MCU&RGB	ST7796S	Free V.A	CTP	-20℃~70℃	510 nits	55.50*84.96*3.75	48.96*73.44
	JRX035HVFMA139-C031A	320x480	SPI&MCU&RGB	ST7796S	Free V.A	CTP	-20℃~70℃	510 nits	61.90*96.04*4.27	48.96*73.44
	JRX035HVFIA141-C009A	320x480	MIPI	ILI9488	Free V.A	CTP	-20℃~70℃	450 nits	55.50*84.96*3.75	48.96*73.44
	JRX035HVFIA141-C048A	320x480	MIPI	ILI9488	Free V.A	CTP	-20℃~70℃	500 nits	61.90*96.04*4.43	48.96*73.44
	JRX035HVFMD143-C047A	320x480	SPI&MCU&RGB	ST7796S	Free V.A	CTP	-20℃~70℃	510 nits	61.90*96.04*4.32	48.96*73.44
	JRX035HVFID144-C048A	320x432	MIPI	ILI9488	Free V.A	CTP	-20℃~70℃	480 nits	61.90*96.04*4.32	48.96*73.44
	JRX035VGfPD158-C061B	640x480	SPI+RGB	NV3052CGRB	Free V.A	CTP	-20℃~70℃	660 nits	85.80*85.80*4.46	70.00*52.56
	JRX035VGfID162-C061B	640x480	MIPI	ST7703	Free V.A	CTP	-20℃~70℃	670 nits	85.80*85.80*4.46	70.08*52.56

3.5"	JRX035QHFPD154-C062B	640x960	SPI+RGB	NV3052CGRB	Free V.A	CTP	-30℃~85℃	450 nits	61.90*96.04*4.57	49.92*74.88
	JRX035VGFI111-C041A-SP007A-TypeC	480x640	Type C	TBD	Free V.A	CTP	-20℃~70℃	360 nits	64.00*85.00*17.00	53.28*71.04
	JRX035VGFID162-C061B-SP005A-TypeC	640x480	Type C	TBD	Free V.A	CTP	-20℃~70℃	660 nits	85.80*85.80*16.00	70.08*52.56
	JRX035WVFLD237-C047A	480x800	LVDS	TBD	Free V.A	CTP	-20℃~70℃	480 nits	60.16*96.30*6.76	45.36*75.60
	JRX035QHFD161-C062B	640x960	MIPI	ST7703	Free V.A	CTP	-30℃~85℃	450 nits	61.90*96.04*4.57	49.92*74.88
	JRX035QVFD225-C086A	320x480	MIPI	AXS15231	Free V.A	CTP	-20℃~70℃	800 nits	61.90*96.04*3.24	48.96*73.44
	JRX035VGFPD249-C061B	640x480	RGB	NV3052CGRB	Free V.A	CTP	-20℃~70℃	1000 nits	85.80*85.80*4.46	70.08*52.56
	JRX035VGFPD250-C061B	640x480	SPI+RGB	NV3052CGRB	Free V.A	CTP	-20℃~70℃	1000 nits	85.80*85.80*4.46	70.08*52.56
	JRX035QVRMD223-C102A	240x320	SPI&MCU&RGB	ILI9341	V.A 6H	CTP	-20℃~70℃	120 nits	66.24*87.12*6.16	53.64*71.52
	JRX035VGFA094A-C041A	480x640	SPI+RGB	ILI9806E	Free V.A	CTP	-20℃~70℃	600 nits	64.00*85.00*4.75	53.28*71.04
	JRX035HVTMA026-C052A-TTL	320x480	TTL	ILI9488	V.A 6H	CTP	-20℃~70℃	300 nits	55.50*84.96*15.10	48.96*73.44
	JRX035HVTMA026-C052A-RS485	320x480	RS485	ILI9488	V.A 6H	CTP	-20℃~70℃	300 nits	55.50*84.96*15.10	48.96*73.44
	JRX035QVFMA064-04-C021A-RS232	240x320	RS232	HX8347A	Free V.A	CTP	-30℃~85℃	400 nits	63.00*85.00*15.10	53.28*71.04
	JRX035QVFMA064-04-C021A-RS485	240x320	RS485	HX8347A	Free V.A	CTP	-30℃~85℃	400 nits	63.00*85.00*15.10	53.28*71.04
	JRX035QVFMA064-04-C021A-TTL	240x320	TTL	HX8347A	Free V.A	CTP	-30℃~85℃	400 nits	63.00*85.00*15.10	53.28*71.04
	JRX035HVFMA155-C055A-RS232	320x480	RS232	ST7796SI	Free V.A	CTP	-30℃~85℃	720 nits	55.50*84.96*15.10	55.50*84.96*15.10
	JRX035HVFMA155-C055A-RS485	320x480	RS485	ST7796SI	Free V.A	CTP	-30℃~85℃	720 nits	55.50*84.96*15.10	55.50*84.96*15.10
	JRX035HVFMA155-C055A-TTL	320x480	TTL	ST7796SI	Free V.A	CTP	-30℃~85℃	720 nits	55.50*84.96*15.10	55.50*84.96*15.10
	JRX035LQFPA093-04-C037A-RS232	320x240	RS232	ST7272A	Free V.A	CTP	-30℃~85℃	1250 nits	86.84*74.84*15.10	70.08*52.56
	JRX035LQFPA093-04-C037A-RS485	320x240	RS485	ST7272A	Free V.A	CTP	-30℃~85℃	1250 nits	86.84*74.84*15.10	70.08*52.56
	JRX035LQFPA093-04-C037A-TTL	320x240	TTL	ST7272A	Free V.A	CTP	-30℃~85℃	1250 nits	86.84*74.84*15.10	70.08*52.56
	JRX035LQFPA093-04-C037A-CAN	320x240	CAN	ST7272A	Free V.A	CTP	-30℃~85℃	1250 nits	86.84*74.84*15.10	70.08*52.56
	JRX035VGFA094-C041A-RS232	480x640	RS232	ILI9806E	Free V.A	CTP	-20℃~70℃	600 nits	64.00*85.00*15.10	53.28*71.04
	JRX035VGFA094-C041A-RS485	480x640	RS485	ILI9806E	Free V.A	CTP	-20℃~70℃	600 nits	64.00*85.00*15.10	53.28*71.04
	JRX035VGFA094-C041A-TTL	480x640	TTL	ILI9806E	Free V.A	CTP	-20℃~70℃	600 nits	64.00*85.00*15.10	53.28*71.04
	JRX035VGFA094-C041A-CAN	480x640	CAN	ILI9806E	Free V.A	CTP	-20℃~70℃	600 nits	64.00*85.00*15.10	53.28*71.04
	JRX035VGFPD250-C061B-RS232	640x480	RS232	NV3052CGRB	Free V.A	CTP	-30℃~85℃	1000 nits	85.80*82.15*15.10	70.08*52.56
	JRX035VGFPD250-C061B-RS485	640x480	RS485	NV3052CGRB	Free V.A	CTP	-30℃~85℃	1000 nits	85.80*82.15*15.10	70.08*52.56
	JRX035VGFPD250-C061B-TTL	640x480	TTL	NV3052CGRB	Free V.A	CTP	-30℃~85℃	1000 nits	85.80*82.15*15.10	70.08*52.56
	JRX035WVFPD122-C047A-RS232	480x800	RS232	ST7701S	Free V.A	CTP	-20℃~70℃	400 nits	60.16*96.30*15.10	45.36*75.60
	JRX035WVFPD122-C047A-RS485	480x800	RS485	ST7701S	Free V.A	CTP	-20℃~70℃	400 nits	60.16*96.30*15.10	45.36*75.60
	JRX035WVFPD122-C047A-TTL	480x800	TTL	ST7701S	Free V.A	CTP	-20℃~70℃	400 nits	60.16*96.30*15.10	45.36*75.60
	JRX035VGFPD167-C061B-SP004A-HDMI	640x480	HDMI	NV3052CGRB	Free V.A	CTP	-10℃~60℃	500 nits	85.80*85.80*21.36	70.08*52.56
	JRX035VGFLD285-C061B	640x480	LVDS	TBD	Free V.A	CTP	-20℃~70℃	1000 nits	85.80*85.80*6.88	70.08*52.56
	JRX035LQFPA093-04-C037A	320x240	RGB	ST7272A	Free V.A	CTP	-30℃~85℃	800 nits	86.84*74.84*4.90	70.08*52.56

3.8"	JRX038HDFPD002-C001A	1024x600	RGB	JD9168	Free V.A	CTP	-20℃~70℃	810 nits	97.92*67.93*4.81	82.64*48.42
	JRX038HDFLD001-C001A	1024x600	LVDS	JD9168	Free V.A	CTP	-20℃~70℃	800 nits	97.92*67.93*4.81	82.64*48.42
	JRX038HDFPD002-C001A-RS232	1024x600	RS232	JD9168	Free V.A	CTP	-20℃~70℃	1000 nits	97.92*67.93*19.76	82.64*48.42
	JRX038HDFPD002-C001A-RS485	1024x600	RS485	JD9168	Free V.A	CTP	-20℃~70℃	1000 nits	97.92*67.93*19.76	82.64*48.42
	JRX038HDFPD002-C001A-TTL	1024x600	TTL	JD9168	Free V.A	CTP	-20℃~70℃	1000 nits	97.92*67.93*19.76	82.64*48.42
3.9"	JRX039WQFPN002-C001A	480x128	RGB	ST7282	Free V.A	CTP	-30℃~85℃	1900 nits	112.46*44.40*5.61	95.04*25.34
4.0"	JRX040WVFID026-C008B	480x800	MIPI	ST7701S	Free V.A	CTP	-20℃~70℃	430 nits	58.26*98.10*4.25	51.84*86.40
	JRX040WVFID026-C009B	480x800	MIPI	ST7701S	Free V.A	CTP	-20℃~70℃	430 nits	66.84*111.50*4.38	51.84*86.40
	JRX040WVFM022-C021A	480x800	SPI+RGB	ST7701S	Free V.A	CTP	-20℃~70℃	480 nits	66.84*111.50*4.38	51.84*86.40
	JRX040WVFPD025-C008B	480x800	SPI+RGB	ST7701S	Free V.A	CTP	-20℃~70℃	440 nits	58.26*98.10*4.25	51.84*87.40
	JRX040WVFPD025-C009B	480x800	SPI+RGB	ST7701S	Free V.A	CTP	-20℃~70℃	440 nits	66.84*111.50*4.38	51.84*86.40
	JRX040WXFID017-C015A	480x800	MIPI	ST7701S	Free V.A	CTP	-30℃~85℃	950 nits	77.00*80.00*4.35	71.86*70.18
	JRX040WXFPD014-C015C	480x800	RGB	ST7701S	Free V.A	CTP	-30℃~85℃	850 nits	77.00*80.00*4.35	71.86*70.18
	JRX040WVFID026-01-C025A	480x800	MIPI	ST7701S	Free V.A	CTP	-20℃~70℃	430 nits	58.26*98.10*4.10	51.84*86.40
	JRX040HDFID032-C026C	720x720	MIPI	ST7703	Free V.A	CTP	-30℃~80℃	650 nits	84.00*85.99*3.76	71.93*71.93
	JRX040HDFPD039-C026A	720x720	SPI+RGB	NV3052CGRB	Free V.A	CTP	-30℃~80℃	650 nits	84.00*85.99*4.23	71.93*71.93
	JRX040QHFI049-C039A	400x960	MIPI	ST7701S	Free V.A	CTP	-20℃~70℃	450 nits	52.50*112.08*3.55	39.18*94.03
	JRX040QHFPD047-C039A	400x960	RGB	ST7701S	Free V.A	CTP	-20℃~70℃	450 nits	52.50*112.08*3.55	39.18*94.03
	JRX040WVFPA027-C022A	480x800	SPI+RGB	ST7701S	Free V.A	CTP	-20℃~70℃	430 nits	58.26*98.10*4.05	51.84*86.40
	JRX040WXFLD071-C015C	480x800	LVDS	ST7701S	Free V.A	CTP	-30℃~85℃	900 nits	77.00*80.00*4.51	71.86*70.18
	JRX040WVFLD070-C008B	480x800	LVDS	ST7701S	Free V.A	CTP	-20℃~70℃	480 nits	57.86*97.70*6.21	51.84*86.40
	JRX040HDFID032-C026C-SP003A-TypeC	720x720	Type C	ST7703	Free V.A	CTP	-20℃~70℃	650 nits	84.00*85.99*15.50	71.93*71.93
	JRX040WVFID026-01-C025A-SP005A-TypeC	480x480	Type C	ST7701S	Free V.A	CTP	-20℃~70℃	430 nits	58.26*98.10*16.00	51.84*86.40
	JRX040WXFID017-C015C-SP002A-TypeC	480x480	Type C	ST7701S	Free V.A	CTP	-20℃~70℃	1000 nits	77.00*80.00*16.00	71.86*70.18
	JRX040HVFI080-C050A	320x320	MIPI	ST7796	Free V.A	CTP	-20℃~70℃	900 nits	77.00*80.00*4.49	71.14*69.82
	JRX040HVFMD081-C050A	320x320	SPI&MCU&RGB	ST7796	Free V.A	CTP	-20℃~70℃	900 nits	77.00*80.00*4.49	71.14*69.82
	JRX040HDFPD039-C026A-RS232	720x720	RS232	NV3052C	Free V.A	CTP	-30℃~80℃	600 nits	84.00*85.99*19.18	71.93*71.93
	JRX040HDFPD039-C026A-RS485	720x720	RS485	NV3052C	Free V.A	CTP	-30℃~80℃	600 nits	84.00*85.99*19.18	71.93*71.93
	JRX040HDFPD039-C026A-TTL	720x720	TTL	NV3052C	Free V.A	CTP	-30℃~80℃	600 nits	84.00*85.99*19.18	71.93*71.93
	JRX040WVFPA027-C022A-RS232	480x480	RS232	ST7701S	Free V.A	CTP	-20℃~70℃	470 nits	58.26*98.10*19.00	51.84*86.40
	JRX040WVFPA027-C022A-RS485	480x480	RS485	ST7701S	Free V.A	CTP	-20℃~70℃	470 nits	58.26*98.10*19.00	51.84*86.40
	JRX040WVFPA027-C022A-TTL	480x480	TTL	ST7701S	Free V.A	CTP	-20℃~70℃	470 nits	58.26*98.10*19.00	51.84*86.40

4.0"	JRX040WXFPD014-C015C-RS232	480x480	RS232	ST7701S	Free V.A	CTP	-30℃~85℃	1000 nits	77.00*80.00*15.31	71.86*70.18
	JRX040WXFPD014-C015C-RS485	480x480	RS485	ST7701S	Free V.A	CTP	-30℃~85℃	1000 nits	77.00*80.00*15.31	71.86*70.18
	JRX040WXFPD014-C015C-TTL	480x480	TTL	ST7701S	Free V.A	CTP	-30℃~85℃	1000 nits	77.00*80.00*15.31	71.86*70.18
	JRX040HDFPD039-C026A-CAN	720x720	CAN	NV3052C	Free V.A	CTP	-30℃~80℃	600 nits	84.00*85.99*19.18	71.93*71.93
	JRX040QHFD049-C039A-SP004A-TypeC	400x960	Type C	ST7701S	Free V.A	CTP	-20℃~70℃	450 nits	52.50*112.08*15.00	39.18*94.03
	JRX040WVTPD090-C008B	480x800	RGB	ST7701SI	V.A 6H	CTP	-10℃~60℃	150 nits	57.86*97.70*4.08	51.84*86.40
	JRX040HFHLD058-C041A	1920x1080	LVDS	SC5010	Free V.A	CTP	-20℃~70℃	1000 nits	104.87*72.22*4.76	88.59*49.83
4.3"	JRX043WVFD083-02-C048A	480x800	MIPI	ILI9806E	Free V.A	CTP	-20℃~70℃	360 nits	69.16*120.05*4.58	56.16*93.60
	JRX043WQFPA042-01-C037C	480x272	RGB	SC7283	Free V.A	CTP	-30℃~85℃	800 nits	105.40*67.15*4.35	95.04*53.86
	JRX043WQFPA042-C038A	480x272	RGB	SC7283	Free V.A	CTP	-30℃~85℃	800 nits	115.40*79.15*4.80	95.04*53.86
	JRX043WQTPA097A-01-C009A	480x272	RGB	NV3047E	V.A 12H	CTP	-20℃~70℃	450 nits	105.40*67.15*4.41	95.04*53.86
	JRX043WQTPA097A-01-C017A	480x272	RGB	NV3047E	V.A 12H	CTP	-20℃~70℃	450 nits	115.40*79.15*4.79	95.04*53.86
	JRX043WVFB082-C010A	480x800	MCU	ILI9806	Free V.A	CTP	-20℃~70℃	430 nits	62.66*105.95*3.68	56.16*93.60
	JRX043WVFIA083-01-C064A	480x800	MIPI	ILI9806E	Free V.A	CTP	-20℃~70℃	400 nits	62.50*105.55*4.20	56.16*93.60
	JRX043WVFPA084-01-C015B	480x800	SPI+RGB	ILI9806E	Free V.A	CTP	-20℃~70℃	400 nits	62.50*105.55*4.20	56.16*93.60
	JRX043WVFLA096-03-C049A-ZJB-HDMI	800x480	HDMI	ST7262	Free V.A	CTP	-10℃~60℃	450 nits	105.40*79.15*21.96	95.04*53.86
	JRX043WVFPA051-C030A	800x480	RGB	ST7262	Free V.A	CTP	-30℃~85℃	550 nits	105.40*67.15*4.36	95.04*53.86
	JRX043WVFPA051-C049A	800x480	RGB	ST7262	Free V.A	CTP	-30℃~85℃	550 nits	115.40*79.15*4.86	95.04*53.86
	JRX043WVFPD051-01-C050A	800x480	RGB	ST7262	Free V.A	CTP	-30℃~85℃	550 nits	115.40*79.15*4.25	95.04*53.86
	JRX043WQFPD049-C038B	480x272	RGB	SC7283	Free V.A	CTP	-30℃~85℃	740 nits	115.40*79.15*4.63	95.04*53.86
	JRX043WVFPA051-02-C030A	800x480	RGB	ST7262	Free V.A	CTP	-30℃~85℃	1100 nits	105.40*67.15*4.36	95.04*53.86
	JRX043WVFPA051-02-C049A	800x480	RGB	ST7262	Free V.A	CTP	-30℃~85℃	1100 nits	115.40*79.15*4.86	95.04*53.86
	JRX043WQTPA097A-04-C017A-SP003A-HDMI	480x272	HDMI	TBD	V.A 12H	CTP	-20℃~70℃	500 nits	115.40*79.15*21.89	95.04*53.86
	JRX043WVFLA096-02A-C030A	800x480	LVDS	ST7262	Free V.A	CTP	-30℃~85℃	1100 nits	105.40*67.15*4.36	95.04*53.86
	JRX043WQFPD042-07-C017C-SP004A-HDMI	480x272	HDMI	TBD	Free V.A	CTP	-20℃~70℃	1000 nits	115.40*79.15*20.40	95.04*53.86
	JRX043WVFPA084-05-C015B-SP001A-HDMI	480x800	HDMI	TBD	Free V.A	CTP	-10℃~60℃	650 nits	62.50*105.55*21.30	56.16*93.60
	JRX043WVFPA084-01-C015B-RS232	480x800	RS232	ILI9806E	Free V.A	CTP	-20℃~70℃	400 nits	62.50*105.55*19.15	56.16*93.60
	JRX043WVFPA084-01-C015B-RS485	480x800	RS485	ILI9806E	Free V.A	CTP	-20℃~70℃	400 nits	62.50*105.55*19.15	56.16*93.60
	JRX043WVFPA084-01-C015B-TTL	480x800	TTL	ILI9806E	Free V.A	CTP	-20℃~70℃	400 nits	62.50*105.55*19.15	56.16*93.60
	JRX043WQFPA042-01-C038A-RS232	480x272	RS232	SC7283	Free V.A	CTP	-30℃~85℃	950 nits	115.40*79.15*19.75	95.04*53.86
	JRX043WQFPA042-01-C038A-RS485	480x272	RS485	SC7283	Free V.A	CTP	-30℃~85℃	950 nits	115.40*79.15*19.75	95.04*53.86
	JRX043WQFPA042-01-C038A-TTL	480x272	TTL	SC7283	Free V.A	CTP	-30℃~85℃	950 nits	115.40*79.15*19.75	95.04*53.86

4.3"	JRX043WVFPA051-05-C049A-RS232	800x480	RS232	ST7262	Free V.A	CTP	-30℃~85℃	550 nits	115.40*79.15*19.75	95.04*53.86
	JRX043WVFPA051-05-C049A-RS485	800x480	RS485	ST7262	Free V.A	CTP	-30℃~85℃	550 nits	115.40*79.15*19.75	95.04*53.86
	JRX043WVFPA051-05-C049A-TTL	800x480	TTL	ST7262	Free V.A	CTP	-30℃~85℃	550 nits	115.40*79.15*19.75	95.04*53.86
	JRX043WQFPA042-01-C038A-CAN	480x272	CAN	SC7283	Free V.A	CTP	-30℃~85℃	950 nits	115.40*79.15*19.75	95.04*53.86
	JRX043WVFPA051-05-C030A	800x480	RGB	ST7262	Free V.A	CTP	-30℃~85℃	550 nits	105.40*67.15*4.36	95.04*53.86
	JRX043WVFLA096-03-C030A	800x480	LVDS	ST7262	Free V.A	CTP	-30℃~85℃	550 nits	105.40*67.15*4.36	95.04*53.86
	JRX043OLEDN001	568x1210	MIPI	SD5207	Free V.A	CTP	-20℃~70℃	600 nits	49.13*103.55*0.75	47.37*100.91
	JRX043WQFMD134-01-C037A	480x272	MCU	NV3041A-01	Free V.A	CTP	-30℃~85℃	900 nits	105.40*67.15*4.35	95.04*53.86
	JRX043WQFPA124-01-C037D	480x272	RGB	ST7283	Free V.A	CTP	-30℃~85℃	800 nits	105.40*67.15*4.35	95.04*53.86
4.5"	JRX045FWFPA010-01-C001B	480x854	SPI+RGB	ILI9806E	Free V.A	CTP	-20℃~70℃	450 nits	61.54*110.09*4.15	55.44*98.64
	JRX045FWTPA001-02-C001B-SP001A-HDMI	480x854	HDMI	ILI9806E	V.A 12H	CTP	-20℃~70℃	350 nits	61.54*110.09*19.00	55.44*98.64
	JRX045FHFLD005-C002A-SP001A-HDMI	1920x1080	HDMI	SC5010E	Free V.A	CTP	-10℃~60℃	1100 nits	115.30*77.02*20.38	98.50*55.40
	JRX045FWFLA012-01-C001B	480x854	LVDS	ILI9806E	Free V.A	CTP	-20℃~70℃	450 nits	61.54*110.09*4.15	55.44*98.64
	JRX045FWFIA011-01-C001B	480x854	MIPI	ILI9806E	Free V.A	CTP	-20℃~70℃	450 nits	61.54*110.09*4.15	55.44*98.64
	JRX045FWFPA010-01-C001B-RS232	480x854	RS232	ILI9806E	Free V.A	CTP	-20℃~70℃	500 nits	61.54*110.09*19.10	55.44*98.64
	JRX045FWFPA010-01-C001B-RS485	480x854	RS485	ILI9806E	Free V.A	CTP	-20℃~70℃	500 nits	61.54*110.09*19.10	55.44*98.64
	JRX045FWFPA010-01-C001B-TTL	480x854	TTL	ILI9806E	Free V.A	CTP	-20℃~70℃	500 nits	61.54*110.09*19.10	55.44*98.64
5.0"	JRX050FWFID042-C010B	480x854	MIPI	ST7701S	Free V.A	CTP	-20℃~70℃	600 nits	78.56*135.65*4.38	61.63*109.65
	JRX050FWFPD041-C010B	480x854	SPI+RGB	ST7701S	Free V.A	CTP	-20℃~70℃	600 nits	78.56*135.65*4.38	61.63*109.65
	JRX050WVFPA029-02-C045A	800x480	RGB	ST7262	Free V.A	CTP	-30℃~85℃	700 nits	132.72*87.80*4.73	108.00*64.80
	JRX050WVFPA029-C039A	800x480	RGB	ST7262	Free V.A	CTP	-30℃~85℃	700 nits	132.72*87.80*4.90	108.00*64.80
	JRX050WVFPA029-C040A	800x480	RGB	ST7262	Free V.A	CTP	-30℃~85℃	700 nits	120.70*75.90*4.38	108.00*64.80
	JRX050FWFIA019-C019A	480x854	MIPI	ILI9806E	Free V.A	CTP	-20℃~70℃	490 nits	67.56*122.35*4.05	61.63*109.65
	JRX050FWFPA011-C009A	480x854	SPI+RGB	ILI9806E	Free V.A	CTP	-20℃~70℃	500 nits	67.56*122.35*4.03	1.63*109.65
	JRX050HDFID040-C020B	720x1280	MIPI	ILI9881C	Free V.A	CTP	-20℃~70℃	440 nits	78.56*135.65*4.13	62.10*110.40
	JRX050WVFLA072-C039A	800x480	LVDS	ST7262	Free V.A	CTP	-30℃~85℃	750 nits	132.72*87.80*4.90	108.00*64.80
	JRX050WVFLA072-C040A	800x480	LVDS	ST7262	Free V.A	CTP	-30℃~85℃	750 nits	120.70*75.90*4.38	108.00*64.80
	JRX050SXFID039-C045A	1080x1080	MIPI	HX8399	Free V.A	CTP	-20℃~60℃	270 nits	208.00*208.00*4.16	127.01*127.01
	JRX050HDFIA020-06-C020E-SP003A-TYPE C	720x1280	Type C	ILI9881C	Free V.A	CTP	-20℃~70℃	420 nits	67.56*122.35*15.35	62.10*110.40
	D050HDFIA020-06-C020E	720x1280	MIPI	I9881C	Free V.A	CTP	-20℃~70℃	420 nits	67.56*122.35*4.03	62.10*110.40
	JRX050HDFPA054-C020A	720x1280	RGB	NV3052CGRB	Free V.A	CTP	-20℃~70℃	350 nits	78.56*135.65*4.20	62.10*110.40
	JRX050HDFIA020-06-C020D	720x1280	MIPI	ILI9881C	Free V.A	CTP	-20℃~70℃	420 nits	78.56*135.65*4.20	62.10*110.40

5.0"	JRX050WVTPA045-C005A	800x480	RGB	ILI5960/ILI6122	V.A 12H	CTP	-20℃~70℃	310 nits	120.70*75.80*4.48	108.00*64.80
	JRX050FHFLD102-C085B	1920x1080	LVDS	SC5010B	Free V.A	CTP	-20℃~70℃	950 nits	126.99*83.05*4.47	110.59*62.21
	JRX050WVTPA045-C005A-SP001A-HDMI	800x480	HDMI	ILI5960/ILI6122	V.A 12H	CTP	-10℃~60℃	310 nits	120.70*75.80*19.81	108.00*64.80
	JRX050WVFLA072-01-C039A-SP002A-HDMI	800x480	HDMI	ST7262	Free V.A	CTP	-10℃~60℃	700 nits	132.72*87.80*22.50	108.00*64.80
	JRX050HDFLD091-C020C	720x1280	LVDS	NV3051F-L	Free V.A	CTP	-20℃~70℃	400 nits	67.56*122.35*4.05	62.10*110.40
	JRX050FWFIA019-02-C009E-SP004A-TYPE C	480x854	Type C	ILI9806E	Free V.A	CTP	-20℃~70℃	540 nits	67.56*122.35*15.25	61.63*109.65
	JRX050FWFLD099-C010B	480x854	LVDS	ST7701S	Free V.A	CTP	-20℃~70℃	600 nits	78.56*135.65*4.38	61.63*109.65
	JRX050FWFPA011-CTP-002	480x854	SPI+RGB	ILI9806E	Free V.A	CTP	-20℃~70℃	450 nits	78.56*135.65*4.40	61.63*109.65
	JRX050FWFPA011-C010B	480x854	SPI+RGB	ILI9806E	Free V.A	CTP	-20℃~70℃	450 nits	78.56*135.65*4.00	61.63*109.65
	JRX050WVFPA107-C104A	800x480	RGB	ST7262	Free V.A	CTP	-30℃~85℃	900 nits	118.50*77.80*6.34	108.00*64.80
	JRX050WQFPD109-C107A	480x272	RGB	ST7282	Free V.A	CTP	-30℃~85℃	900 nits	120.16*75.36*4.56	110.88*62.83
	JRX050OLEDN116	720x1280	MIPI	RM67295	Free V.A	CTP	-20℃~70℃	500 nits	64.12*116.72*0.84	61.88*110.02
	JRX050FWFPA011-09-C009E-RS232	480x854	RS232	ILI9806E	Free V.A	CTP	-20℃~70℃	500 nits	67.56*122.35*20.00	61.63*109.65
	JRX050FWFPA011-09-C009E-RS485	480x854	RS485	ILI9806E	Free V.A	CTP	-20℃~70℃	500 nits	67.56*122.35*20.00	61.63*109.65
	JRX050FWFPA011-09-C009E-TTL	480x854	TTL	ILI9806E	Free V.A	CTP	-20℃~70℃	500 nits	67.56*122.35*20.00	61.63*109.65
	JRX050HDFIA020-06-C020D-RS232	720x1280	RS232	ILI9881C	Free V.A	CTP	-20℃~70℃	400 nits	78.56*135.65*20.00	62.10*110.40
	JRX050HDFIA020-06-C020D-RS485	720x1280	RS485	ILI9881C	Free V.A	CTP	-20℃~70℃	400 nits	78.56*135.65*20.00	62.10*110.40
	JRX050HDFIA020-06-C020D-TTL	720x1280	TTL	ILI9881C	Free V.A	CTP	-20℃~70℃	400 nits	78.56*135.65*20.00	62.10*110.40
	JRX050WVTPA045-C003A-RS232	800x480	RS232	ILI5960/ILI6122	V.A 12H	CTP	-20℃~70℃	350 nits	132.72*87.80*20.50	108.00*64.80
	JRX050WVTPA045-C003A-RS485	800x480	RS485	ILI5960/ILI6122	V.A 12H	CTP	-20℃~70℃	350 nits	132.72*87.80*20.50	108.00*64.80
	JRX050WVTPA045-C003A-TTL	800x480	TTL	ILI5960/ILI6122	V.A 12H	CTP	-20℃~70℃	350 nits	132.72*87.80*20.50	108.00*64.80
	JRX050OLEDN116-C116A	720x1280	MIPI	RM67295	Free V.A	CTP	-20℃~70℃	500 nits	70.52*123.12*1.57	61.88*110.02
	JRX050WVRPD092-03-C045A	800x480	RGB	HX8264+HX8664	V.A 12H	CTP	-20℃~70℃	150 nits	132.72*87.80*4.99	108.00*64.80
	JRX050OLEDN116-SP005A-HDMI	720x1280	HDMI	TBD	Free V.A	CTP	-20℃~70℃	300 nits	64.12*116.72*11.64	61.88*110.02
	JRX050OLEDN116-C116A-SP005A-HDMI	720x1280	HDMI	TBD	Free V.A	CTP	-20℃~70℃	300 nits	64.12*116.72*11.64	61.88*110.02
	JRX050FWFIA019-01-C019A	480x854	MIPI	ILI9806E	Free V.A	CTP	-20℃~70℃	360 nits	67.26*122.00*3.98	61.63*109.65
	JRX050FWFIA019-02-C002A	480x854	MIPI	ILI9806E	Free V.A	CTP	-20℃~70℃	490 nits	78.56*135.65*4.40	61.63*109.65
	JRX050FWFIA019-02-C009F	480x854	MIPI	ILI9806E	Free V.A	CTP	-20℃~70℃	490 nits	67.56*122.35*4.05	61.63*109.65
	JRX050WVFPA036A-02-C045A	800x480	RGB	ST7262	Free V.A	CTP	-30℃~85℃	650 nits	132.72*87.80*4.73	108.00*64.80
	JRX050WVFPA029-06-C039A	800x480	RGB	ST7262	Free V.A	CTP	-30℃~85℃	800 nits	132.72*87.80*4.90	108.00*64.80
	JRX050WVFPA036A-03-C039A	800x480	RGB	ST7262	Free V.A	CTP	-30℃~85℃	650 nits	132.72*87.80*4.90	108.00*64.80
	JRX050WVFPA036A-03-C040C	800x480	RGB	ST7262	Free V.A	CTP	-30℃~85℃	650 nits	120.70*75.90*4.38	108.00*64.80

5.0"	JRX050WVFPA029-06-C040A	800x480	RGB	ST7262	Free V.A	CTP	-30℃~85℃	800 nits	120.70*75.90*4.48	108.00*64.80
	JRX050WVTPA045-C003A	800x480	RGB	ILI5960/ILI6122	V.A 12H	CTP	-20℃~70℃	310 nits	132.72*87.80*5.00	108.00*64.80
	JRX050WVTPA045-02A-C003A	800x480	RGB	ILI5960/ILI6122	V.A 12H	CTP	-20℃~70℃	650 nits	132.72*87.80*4.88	108.00*64.80
	JRX050WVTPA045-02A-C005A	800x480	RGB	ILI5960/ILI6122	V.A 12H	CTP	-20℃~70℃	650 nits	120.70*75.90*4.60	108.00*64.80
5.5"	JRX055HDFIA001-C001A	720x1280	MIPI	ILI9881C	Free V.A	CTP	-20℃~70℃	360 nits	86.04*144.96*4.75	68.04*120.96
	JRX055HDFID001-02-C017B	720x1280	MIPI	ILI9881C	Free V.A	CTP	-20℃~70℃	350 nits	79.04*136.67*2.81	68.04*120.96
	JRX055FHFID018B-01-C017C	1080x1920	MIPI	HX8399-A	Free V.A	CTP	-20℃~70℃	350 nits	79.04*137.67*2.64	68.04*120.96
	JRX055HDFLD023-C026A	720x1280	LVDS	NV3051F-L	Free V.A	CTP	-20℃~70℃	650 nits	79.04*137.67*4.39	68.04*120.96
	JRX055HDFIA001-C001A-SP002A-HDMI	720x1280	HDMI	ILI9881C	Free V.A	CTP	-20℃~70℃	500 nits	86.04*144.96*21.85	68.04*120.96
	JRX055FHFID018-01-C017A-SP003A-HDMI	1080x1920	HDMI	HX8399-A	Free V.A	CTP	-20℃~70℃	350 nits	79.04*137.67*19.74	68.04*120.96
	JRX055FHFID010-C017A	1080x1920	MIPI	XM91080	Free V.A	CTP	-20℃~70℃	340 nits	79.04*137.67*2.84	68.04*120.96
	JRX055FHFID018-C017A	1080x1920	MIPI	HX8399-A	Free V.A	CTP	-20℃~70℃	350 nits	79.04*137.67*2.60	68.04*120.96
	JRX055OLEDN030	1080x1920	MIPI	RM67199	Free V.A	CTP	-20℃~70℃	350 nits	69.74*126.60*0.82	67.82*120.58
	JRX055FHOIN031-C001A	1080x1920	MIPI	CH13721C	Free V.A	CTP	-20℃~60℃	500 nits	70.36*127.34*0.82	68.26*121.34
	JRX055OLEDN030-SP005A-HDMI	1080x1920	HDMI	RM67199	Free V.A	CTP	-20℃~70℃	350 nits	69.74*126.60*11.62	7.82*120.58
	JRX055HDFID001-03-C026A	720x1280	MIPI	ILI9881C	Free V.A	CTP	-20℃~70℃	500 nits	79.04*137.67*2.75	68.04*120.96
	JRX055FHOIN031-C001A-HDMI	1080x1920	HDMI	CH13721C	Free V.A	CTP	-20℃~60℃	500 nits	70.36*127.34*0.83	68.26*121.34
	JRX055HDFID028-C001A	720x1280	MIPI	ILI9881C	Free V.A	CTP	-20℃~70℃	430 nits	86.04*144.96*4.75	67.93*120.77
5.6"	JRX056VGTPA003-C002A	640x480	RGB	TBD	V.A 12H	CTP	-20℃~70℃	380 nits	126.50*100.00*6.08	112.90*84.67
	JRX056VGTPA004-C004A	640x480	RGB	HX8250-A+HX8678-B	V.A 12H	CTP	-20℃~70℃	750 nits	126.50*100.00*7.42	115.20*86.40
	JRX056VGTPA004-C004A-SP001A-HDMI	640x480	HDMI	HX8250-A+HX8678-B	V.A 12H	CTP	-20℃~70℃	750 nits	126.50*100.00*7.42	115.20*86.40
5.7"	JRX057VGFPFA011-C004A	640x480	RGB	JD9186S	Free V.A	CTP	-30℃~80℃	550 nits	126.50*100.00*7.42	115.20*86.40
	JRX057VGFPFA015-C004A	640x480	RGB	JD9168S	Free V.A	CTP	-30℃~80℃	550 nits	126.50*100.00*7.42	115.20*86.40
5.8"	JRX058UXFLA003-C001A	1920x1080	LVDS	ST5892B	Free V.A	CTP	-20℃~70℃	950 nits	144.56*87.40*7.65	126.72*71.28
	JRX058UXFLA003-C001A-SP001A-HDMI	720x1440	HDMI	ST5892B	Free V.A	CTP	-20℃~70℃	900 nits	144.56*87.40*21.26	126.72*71.28
6.0"	JRX060HDFID001-C001A	720x1440	MIPI	ILI9881C	Free V.A	CTP	-20℃~70℃	480 nits	95.04*167.63*15.55	68.04*136.08
	JRX060HDFID001-C001A-SP001A-HDMI	720x1440	HDMI	ILI9881C	Free V.A	CTP	-20℃~70℃	420 nits	95.04*167.63*15.55	68.04*136.08
	JRX060HDFID001-C001A-SP002A-TYPEC	720x1440	Type C	ILI9881C	Free V.A	CTP	-20℃~70℃	480 nits	95.04*167.63*15.55	68.04*136.08
	JRX060HDFLD007-C005A	720x1280	LVDS	NV3051F-L	Free V.A	CTP	-20℃~70℃	360 nits	80.58*146.12*3.31	73.98*131.52
	JRX060HDFID006-C005A	720x1280	MIPI	ILI9881C	Free V.A	CTP	-20℃~70℃	360 nits	80.58*146.12*3.31	73.98*131.52
	JRX060FPOIN011-C001A	1080x2160	MIPI	CH13721C	Free V.A	CTP	-20℃~70℃	500 nits	70.07*142.30*0.78	68.26*136.51
	JRX060FPOIN011-C001A-HDMI	1080x2160	HDMI	CH13721C	Free V.A	CTP	-20℃~70℃	500 nits	70.07*142.30*0.78	68.26*136.51

6.2"	JRX062VGFPD003-C002A	640x240	RGB	ST5043AA/ST5894AA	Free V.A	CTP	-30℃~85℃	800 nits	173.80*82.76*4.76	148.80*53.76
	JRX062VGFPD003-C002A-TTL	640x240	TTL	ST5043AA/ST5894AA	Free V.A	CTP	-30℃~85℃	850 nits	173.80*82.76*19.71	148.80*53.76
	JRX062VGFPD003-C002A-RS485	640x240	RS485	ST5043AA/ST5894AA	Free V.A	CTP	-30℃~85℃	850 nits	173.80*82.76*19.71	148.80*53.76
	JRX062VGFPD003-C002A-RS232	640x240	RS232	ST5043AA/ST5894AA	Free V.A	CTP	-30℃~85℃	850 nits	173.80*82.76*19.71	148.80*53.76
6.4"	JRX064FPOIN001-C001A	1080x2340	MIPI	SD5207	Free V.A	CTP	-20℃~70℃	500 nits	69.84*150.42*0.80	68.04*147.42
	JRX064FPOIN001-C001A-HDMI	1080x2340	HDMI	SD5207	Free V.A	CTP	-20℃~70℃	500 nits	69.84*150.42*0.80	68.04*147.42
6.6"	JRX066FHFID010-C011A	1080x2400	MIPI	FT8725	Free V.A	CTP	-25℃~70℃	550 nits	74.88*167.48*2.19	68.43*152.57
6.7"	JRX067WSFLA001-C001A	1920x1080	LVDS+eDP	HX8249/HX8678	Free V.A	CTP	-20℃~70℃	1300 nits	161.12*97.68*7.12	148.32*84.43
	JRX067WSFLA001-C001A-SP001A-HDMI	1920x1080	HDMI	HX8249/HX8678	Free V.A	CTP	-20℃~70℃	1500 nits	161.12*97.68*23.02	148.32*83.43
	JRX067FHFID002-C003A	1080x2400	MIPI	ICNL9922CAC-01	Free V.A	CTP	-20℃~70℃	400 nits	74.31*164.56*2.13	70.08*155.74
6.8"	JRX068HDFID005-C001A	480x1280	MIPI	ICNL9707	Free V.A	CTP	-20℃~70℃	2250 nits	78.02*191.10*6.34	60.19*160.51
	JRX068HDFLD004-C001A	480x1280	LVDS	NV3051F-L	Free V.A	CTP	-20℃~70℃	1450 nits	78.02*191.10*6.34	60.19*160.51
	JRX068WVFPD007-01-C003A	800x480	RGB	TBD	Free V.A	CTP	-30℃~85℃	800 nits	155.96*100.77*7.29	148.10*88.86
	JRX068WVFPD007-01-C003A-SP001A-HDMI	800x480	HDMI	TBD	Free V.A	CTP	-20℃~70℃	800 nits	155.96*100.77*23.19	148.10*88.86
	JRX068WVFPD007-01-C003A-RS232	800x480	RS232	TBD	Free V.A	CTP	-30℃~85℃	1100 nits	155.96*100.77*22.24	148.10*88.86
	JRX068WVFPD007-01-C003A-RS485	800x480	RS485	TBD	Free V.A	CTP	-30℃~85℃	1100 nits	155.96*100.77*22.24	148.10*88.86
	JRX068WVFPD007-01-C003A-TTL	800x480	TTL	TBD	Free V.A	CTP	-30℃~85℃	1100 nits	155.96*100.77*22.24	148.10*88.86
	JRX068WVFPD007-01-C003A-CAN	800x480	CAN	TBD	Free V.A	CTP	-30℃~85℃	1100 nits	155.96*100.77*22.24	148.10*88.86
7.0"	JRX070HDFPA031-01-C025A-UART	1024x600	RS232/RS485	EK73215&EK79001	Free V.A	CTP	-20℃~70℃	550 nits	181.40*104.00*14.23	154.21*85.92
	JRX070WVTPA077-C004A	800x480	RGB	EK9713/EK7330	V.A 12H	CTP	-20℃~70℃	1100 nits	165.00*100.00*7.40	154.21*85.92
	JRX070WVFLA011-C010A	800x480	LVDS	SC5004/SC5005	Free V.A	CTP	-30℃~85℃	350 nits	165.40*104.59*7.73	152.40*91.44
	JRX070HDTLA020-C030A	1024x600	LVDS	EK73215&EK79001	V.A 12H	CTP	-20℃~70℃	550 nits	182.07*117.60*8.25	154.21*85.92
	JRX070HDTLA020-C031A	1024x600	LVDS	EK73215&EK79001	V.A 12H	CTP	-20℃~70℃	550 nits	165.00*100.00*7.33	154.21*85.92
	JRX070HDFPA019-C001A	1024x600	RGB	EK73215&EK79001	Free V.A	CTP	-20℃~70℃	700 nits	182.07*117.60*8.25	154.21*85.92
	JRX070HDFPA019-C002A	1024x600	RGB	EK73215&EK79001	Free V.A	CTP	-20℃~70℃	700 nits	165.00*100.00*7.33	154.21*85.92
	JRX070HDFLA013-01-C018A	1024x600	LVDS	EK73215&EK79001	Free V.A	CTP	-20℃~70℃	450 nits	182.07*117.60*7.55	154.21*85.92
	JRX070C-4-C004A	800x480	LVDS	EK9713/EK7330	V.A 12H	CTP	-20℃~70℃	380 nits	165.00*100.00*7.33	154.21*85.92
	JRX070C-4-C007A-LVDS	800x480	LVDS	EK9713/EK7330	V.A 12H	CTP	-20℃~70℃	400 nits	182.07*117.60*13.75	154.21*85.92
	JRX070WXFID027-C038A	800x1280	MIPI	JD9366	Free V.A	CTP	-20℃~70℃	400 nits	119.46*176.78*4.78	94.20*150.72
	JRX070WVTPA006-C005A	800x480	RGB	EK9713/EK7330	V.A 12H	CTP	-20℃~70℃	400 nits	165.0*100.00*8.18	154.08*85.92
	JRX070WVFPA065-C010A	800x480	RGB	RM533CO+RM577C1	Free V.A	CTP	-30℃~85℃	550 nits	165.40*104.59*7.73	152.40*91.44
	JRX070WVFPA043-C049A	800x480	RGB	RM533CO+RM577C1	Free V.A	CTP	-30℃~85℃	1150 nits	165.40*104.59*7.73	152.40*91.44

7.0"	JRX070WVFLA035-C049A	800x480	LVDS	RM533CO+RM577C1	Free V.A	CTP	-30℃~85℃	1000 nits	165.40*104.59*7.73	152.40*91.44
	JRX070WVFLA035-C049C	800x480	LVDS	RM533CO+RM577C1	Free V.A	CTP	-30℃~85℃	1000 nits	165.40*104.59*7.73	152.40*91.44
	JRX070HDTLA007-C013A	1024x600	LVDS	TBD	V.A 12H	CTP	-20℃~70℃	450 nits	182.07*117.60*8.02	154.21*85.92
	JRX070HDFLA028-C014A	1024x600	LVDS	EK73215&EK79001	Free V.A	CTP	-20℃~70℃	600 nits	182.07*117.60*8.25	154.21*85.92
	JRX070HDFLA028-C015A	1024x600	LVDS	EK73215&EK79001	Free V.A	CTP	-20℃~70℃	600 nits	165.00*100.00*7.33	154.21*85.92
	JRX070HDFIA030-04-C026B	1024x600	MIPI	EK73217BCGA+EK79007AD2	Free V.A	CTP	-20℃~70℃	850 nits	182.07*117.60*8.25	154.21*85.92
	JRX070HDFIA030-04-C027B	1024x600	MIPI	EK73217BCGA+EK79007AD2	Free V.A	CTP	-20℃~70℃	850 nits	165.00*100.00*7.33	154.21*85.92
	JRX070HDFIA030-C027A	1024x600	MIPI	EK73217BCGA+EK79007AD	Free V.A	CTP	-20℃~70℃	520 nits	65.00*100.00*7.33	154.21*85.92
	JRX070HDFLD070-C085A	1280x768	LVDS	HX8298-Ax3+HX8695Ex1	Free V.A	CTP	-30℃~85℃	980 nits	182.45*121.47*9.38	154.21*85.92
	JRX070WXFID050-C065A	800x1280	MIPI	ILI9881C	Free V.A	CTP	-20℃~70℃	400 nits	103.56*162.38*4.73	94.20*150.72
	JRX070HDFID067-C080A	720x1440	MIPI	GC9702P	Free V.A	CTP	-20℃~70℃	350 nits	101.73*186.34*3.53	78.02*156.04
	JRX070WXFID061-C074A-UART	280x1424	RS232	TBD	Free V.A	CTP	-20℃~70℃	600 nits	0.2*193.47*12.21	33.60*170.88
	JRX070WVTPA088-01-C004A	800x480	RGB	EK9713/EK73002	V.A 12H	CTP	-30℃~85℃	500 nits	165.00*100.00*7.33	154.08*85.92
	JRX070WVTPA088-01-C101A	800x480	RGB	EK9713/EK73002	V.A 12H	CTP	-30℃~85℃	500 nits	182.07*117.60*8.15	154.08*85.92
	JRX070WVFLA035A-C049C-SP001A-HDMI	800x480	HDMI	RM533CO+RM577C1	V.A 12H	CTP	-10℃~60℃	1000 nits	165.40*104.59*24.83	152.40*91.44
	JRX070WXFID050-C038A-SP001A-TYPEC	800x1280	Type C	ILI9881C	Free V.A	CTP	-20℃~70℃	420 nits	119.46*176.78*15.80	94.20*150.72
	JRX070HDFID086-C102A	720x1280	MIPI	ILI9881C	Free V.A	CTP	-20℃~70℃	1100 nits	107.00*177.00*7.09	86.94*154.56
	JRX070WXFID093A-C107A	800x1280	MIPI	ILI9881C	Free V.A	CTP	-20℃~70℃	1200 nits	119.46*176.78*7.27	94.20*150.72
	JRX070WVTLA095-01-C004A	800x480	LVDS	EK9713+EK73002+THC63LVDF84C	V.A 12H	CTP	-30℃~85℃	500 nits	165.00*100.00*7.40	154.08*85.92
	JRX070WVTLA095-01-C101A	800x480	LVDS	EK9713+EK73002+THC63LVDF84C	V.A 12H	CTP	-30℃~85℃	450 nits	182.07*117.60*10.55	154.08*85.92
	JRX070HDFLD092-C061D	1024x600	LVDS	EK73215&EK79001	Free V.A	CTP	-30℃~85℃	1600 nits	165.10*100.10*6.62	154.08*85.92
	JRX070HDFLA044-C061D	1024x600	LVDS	EK73215&EK79001	Free V.A	CTP	-20℃~70℃	1600 nits	165.10*100.10*6.81	154.08*85.92
	JRX070WXFID094-C074A	280x1424	MIPI	OTA7290N	Free V.A	CTP	-20℃~70℃	600 nits	50.20*193.47*5.20	33.60*170.88
	JRX070HDFLD089-C102A	720x1280	LVDS	NV3051F-L	Free V.A	CTP	-20℃~70℃	1100 nits	107.00*177.00*7.09	86.94*154.56
	JRX070HDFLD092-C113A	1024x600	LVDS	EK73215&EK79001	Free V.A	CTP	-30℃~85℃	1600 nits	165.10*100.10*6.67	154.21*85.92
	JRX070WVFPD099-C114A	800x480	RGB	ST72568-G6-K	Free V.A	CTP	-20℃~70℃	650 nits	165.10*100.10*6.65	153.84*85.63
	JRX070WVFLA011-02-C010A	800x480	LVDS	SC5004/SC5005	Free V.A	CTP	-30℃~85℃	1000 nits	165.40*104.59*7.73	152.40*91.44
	JRX070WUFID085-C021A-SP001A-HDMI	1200x1920	HDMI	TBD	Free V.A	CTP	-20℃~70℃	410 nits	119.46*176.78*19.30	94.50*151.20
	JRX070HDFLD092-C050B	1024x600	LVDS	EK73215&EK79001	Free V.A	CTP	-30℃~85℃	1600 nits	182.07*117.60*7.22	154.21*85.92
	JRX070WVFPA010-02-C010A	800x480	RGB	SC5004/SC5005	Free V.A	CTP	-30℃~85℃	720 nits	165.40*104.59*7.73	152.40*91.44
	JRX070HDFLA116-CTP-Monitor	1024x600	HDMI	TBD	Free V.A	CTP	-10℃~60℃	550 nits	169.20*104.00*38.26	154.21*85.92
	JRX070FHFID078-01-C021A	1200x1920	MIPI	HX8279	Free V.A	CTP	-20℃~80℃	400 nits	119.46*176.78*3.98	94.50*151.20

7.0"	JRX070C-4-05-C004A-RS232	800x480	RS232	EK9713/EK73002	V.A 12H	CTP	-20℃~70℃	400 nits	165.40*104.59*23.00	154.21*85.92
	JRX070HDFIA030-C026A	1024x600	MIPI	EK73217BCGA+EK79007AD	Free V.A	CTP	-20℃~70℃	520 nits	165.40*104.59*23.00	152.40*91.44
	JRX070WVFPA043A-C049A-RS232	800x480	RS232	RM533C0+RM577C1	Free V.A	CTP	-20℃~70℃	1150 nits	165.40*104.59*23.00	152.40*91.44
	JRX070WVFPA043A-C049A-RS485	800x480	RS485	RM533C0+RM577C1	Free V.A	CTP	-20℃~70℃	1150 nits	165.40*104.59*23.00	152.40*91.44
	JRX070WVFPA043A-C049A-TTL	800x480	TTL	RM533C0+RM577C1	Free V.A	CTP	-20℃~70℃	1150 nits	165.00*100.00*23.00	154.08*85.92
	D070C-4-05-C004A-RS485	800x480	RS485	EK9713/EK73002	V.A 12H	CTP	-20℃~70℃	400 nits	165.00*100.00*23.00	154.08*85.92
	JRX070C-4-05-C004A-TTL	800x480	TTL	EK9713/EK73002	V.A 12H	CTP	-20℃~70℃	400 nits	165.00*100.00*23.00	154.21*85.92
	JRX070HDFLA028-02-C027B-SP001A-HDMI	1024x600	HDMI	EK73215&EK79001	Free V.A	CTP	-10℃~60℃	550 nits	165.00*100.00*22.27	154.21*85.92
	JRX070HDFIA030-02-C028A	1024x600	MIPI	EK73217BCGA+EK79007AD2	Free V.A	CTP	-20℃~70℃	1500 nits	165.00*100.00*7.33	154.21*85.92
	JRX070HDFIA030-02-C029A	1024x600	MIPI	EK73217BCGA+EK79007AD2	Free V.A	CTP	-20℃~70℃	1500 nits	182.07*117.60*8.25	154.21*85.92
	JRX070WVFLD106-C114A	800x480	LVDS	ST7277-G6-K	Free V.A	CTP	-20℃~70℃	900 nits	165.10*100.10*6.65	153.84*85.63
	JRX070HDFPA126-C125A	1024x600	RGB	EK73215&EK79001	Free V.A	CTP	-20℃~70℃	450 nits	164.90*100.00*4.40	154.21*85.92
	JRX070WUFID123-C123A	1200x1920	MIPI	FT7250	Free V.A	CTP	-20℃~70℃	950 nits	109.80*173.00*5.00	94.50*151.20
	JRX070HDFPA127-C128A	1024x600	RGB	JD9165	Free V.A	CTP	-10℃~60℃	450 nits	164.86*99.96*5.28	154.21*85.92
	JRX070HDFPA051-01-C001A	1024x600	RGB	EK73215&EK79001	Free V.A	CTP	-20℃~70℃	700 nits	182.07*117.60*8.05	154.21*85.92
	JRX070FHOIN128-C128A	1080x1920	MIPI	ICNA3512	Free V.A	CTP	-20℃~70℃	950 nits	89.13*160.91*1.01	87.13*154.91
	JRX070HDFPA038-C024A-RS232	1024x600	RS232	EK73215&EK79001	Free V.A	CTP	-20℃~70℃	800 nits	182.07*117.60*24.00	154.21*85.92
	JRX070HDFPA038-C024A-RS485	1024x600	RS485	EK73215&EK79001	Free V.A	CTP	-20℃~70℃	800 nits	182.07*117.60*24.00	154.21*85.92
	JRX070HDFPA038-C024A-TTL	1024x600	TTL	EK73215&EK79001	Free V.A	CTP	-20℃~70℃	800 nits	182.07*117.60*24.00	154.21*85.92
	JRX070C-4-05-C004A-SP002A-HDMI	800x480	HDMI	EK9713/EK73002	V.A 12H	CTP	-10℃~60℃	400 nits	165.00*100.00*24.43	154.08*85.92
8.0"	JRX080WXFLD023-C015A-SP002A-HDMI	800x1280	HDMI	TBD	Free V.A	CTP	-10℃~60℃	400 nits	130.70*200.10*22.15	107.64*172.22
	JRX080WXFID015-C015A	800x1280	MIPI	ILI9881C	Free V.A	CTP	-20℃~60℃	400 nits	130.70*200.10*5.04	107.64*172.22
	JRX080FM-8-C008A	1600x480	LVDS	HX8249/HX8678	Free V.A	CTP	-20℃~70℃	420 nits	249.20*87.00*6.86	194.40*58.32
	JRX080WXFID012-C008A	800x1280	MIPI	TBD	Free V.A	CTP	-20℃~60℃	200 nits	130.70*200.10*4.65	107.64*172.22
	JRX080C-4-C004A	800x1280	RGB	TBD	Free V.A	CTP	-20℃~60℃	350 nits	183.00*141.00*7.98	162.00*121.50
	JRX080C-4-CTP-001	800x600	RGB	EK9713/EK7330	Free V.A	CTP	-20℃~70℃	250 nits	199.00*157.00*7.93	162.00*121.50
	JRX080WXFID015-C015A-SP004A-TYPEC	800x1280	Type C	ILI9881C	Free V.A	CTP	-20℃~60℃	400 nits	130.70*200.10*16.15	107.64*172.22
	JRX080FHFID017-C016A-SP001A-TYPEC	1200x1920	Type C	NT51021	Free V.A	CTP	-10℃~50℃	250 nits	124.60*190.80*15.01	107.64*172.22
	JRX080WXFID015-C015A-SP003A-HDMI	800x1280	HDMI	ILI9881C	Free V.A	CTP	-20℃~60℃	500 nits	130.70*200.10*22.09	107.64*172.22
	JRX080C-5-01-C006B-CP001A-HDMI	1024x768	HDMI	TBD	V.A 12H	CTP	-10℃~60℃	300 nits	174.00*136.00*13.92	162.05*121.54
	JRX080WXFID015-C015A-RS232	800x1280	RS232	ILI9881C	Free V.A	CTP	-20℃~60℃	400 nits	130.70*200.10*13.59	107.64*172.22
	JRX080WXFID015-C015A-RS485	800x1280	RS485	ILI9881C	Free V.A	CTP	-20℃~60℃	400 nits	130.70*200.10*13.59	107.64*172.22

8.0"	JRX080WXFID015-C015A-TTL	800x1280	TTL	ILI9881C	Free V.A	CTP	-20℃~60℃	400 nits	130.70*200.10*13.59	107.64*172.22
	JRX080WXFID015-02-C015A	800x1280	MIPI	ILI9881	Free V.A	CTP	-20℃~70℃	800 nits	130.70*200.10*4.90	107.64*172.22
	JRX080WVFLA034-C030A	800x600	LVDS	JD9165BA	Free V.A	CTP	-20℃~70℃	730 nits	199.00*157.00*7.87	162.00*121.50
	JRX080WVFPA032-C029A	800x600	RGB	JD9165BA	Free V.A	CTP	-20℃~70℃	730 nits	199.00*157.00*7.87	162.00*121.50
9.0"	JRX090HDFLA006-C001A	1024x600	LVDS	EK73215&EK79001	Free V.A	CTP	-20℃~70℃	900 nits	210.70*126.50*7.15	196.61*114.15
9.7"	JRX097HDFLD001-C001A	1024x768	LVDS	TBD	Free V.A	CTP	0℃~50℃	240 nits	228.10*187.90*8.12	196.60*147.46
10.1"	JRX101HDFLA010-C016A	1280x800	LVDS	TBD	Free V.A	CTP	-30℃~85℃	1100 nits	252.70*175.55*9.25	216.96*135.60
	JRX101UXFID008-C014A	1200x1920	MIPI	NT51021	Free V.A	CTP	-10℃~50℃	300 nits	159.00*244.60*4.33	135.36*216.58
	JRX101WXFID018-C012A	800x1280	MIPI	JD9365AA	Free V.A	CTP	-20℃~60℃	300 nits	159.00*244.60*4.96	135.36*216.58
	JRX101WXFID018-C012B	800x1280	MIPI	JD9365AA	Free V.A	CTP	-20℃~60℃	300 nits	159.00*244.60*4.96	135.36*216.58
	JRX101UXFLD024-C035A	1920x1200	LVDS	HX8290-B	Free V.A	CTP	-20℃~70℃	500 nits	246.31*168.75*4.87	16.81*135.50
	JRX101WXFID027-C012A	800x1280	MIPI	ILI9881C	Free V.A	CTP	-20℃~60℃	350 nits	159.00*244.60*4.86	135.36*216.58
	JRX101WXFID027-C012B	800x1280	MIPI	ILI9881C	Free V.A	CTP	-20℃~60℃	350 nits	159.00*244.60*4.86	135.36*216.58
	JRX101WSFLD028-C040A	1024x600	LVDS	EK73215&EK79001	Free V.A	CTP	-20℃~70℃	550 nits	254.50*162.50*4.87	222.72*125.28
	JRX101FHFID031-C037A	440x1920	MIPI	ICNL9707	Free V.A	CTP	-20℃~70℃	900 nits	85.00*288.45*6.23	57.95*252.86
	JRX101WSFID033-C040A	1024x600	MIPI	EK73217& EK79007	Free V.A	CTP	-20℃~70℃	480 nits	254.50*162.50*4.87	222.72*125.28
	JRX101WSFPD036-C040A	1024x600	RGB	EK73215&EK79001	Free V.A	CTP	-20℃~70℃	480 nits	254.50*162.50*4.87	222.72*125.28
	JRX101FHFID030-01-C014A	1200x1920	MIPI	HX8279D	Free V.A	CTP	-10℃~50℃	350 nits	159.00*244.60*4.81	135.36*216.58
	JRX101FHFID030-C036A-SP005A-TYPEC	1200x1920	Type C	TBD	Free V.A	CTP	-10℃~50℃	280 nits	174.37*255.12*15.90	135.36*216.58
	JRX101FHFID030-C014A-SP005A-TYPEC	1200x1920	Type C	TBD	Free V.A	CTP	-10℃~50℃	220 nits	159.00*244.60*15.90	135.36*216.58
	JRX101WXFID027-C012B-SP001A-HDMI	800x1280	HDMI	TBD	Free V.A	CTP	-20℃~60℃	350 nits	159.00*244.60*19.76	135.36*216.58
	JRX101FHFID030-C014A-SP001A-HDMI	1200x1920	HDMI	TBD	Free V.A	CTP	-10℃~50℃	220 nits	159.00*244.60*19.40	135.36*216.58
	JRX101WXFLD021-01-C009B	1280x800	LVDS	EK79202D_A	Free V.A	CTP	-30℃~85℃	590 nits	244.45*173.88*4.76	216.96*135.60
	JRX101WXFLD021-C009B	1280x800	LVDS	EK79202D_A	Free V.A	CTP	-20℃~70℃	400 nits	244.45*173.88*4.76	216.96*135.60
	JRX101WXFID045-C009B	1280x800	MIPI	EK79202D	Free V.A	CTP	-30℃~85℃	500 nits	244.45*173.88*4.76	216.96*135.60
	JRX101WXFLD047-01-C001B	1280x800	LVDS	TBD	Free V.A	CTP	-20℃~70℃	750 nits	229.06*148.70*4.71	216.96*135.60
	JRX101WSFID033-C040A-SP001A-HDMI	1024x600	HDMI	EK73217& EK79007	Free V.A	CTP	-20℃~70℃	550 nits	254.50*162.50*19.76	222.72*125.28
	JRX101HDFLD020-01-C045C-SP009A-HDMI	1280x800	HDMI	TBD	Free V.A	CTP	-10℃~60℃	900 nits	232.70*155.56*24.50	216.96*135.60
	JRX101WXFLD051-01-CTP-Monitor	1280x800	HDMI/VGA	TBD	Free V.A	CTP	0℃~40℃	700 nits	255.26*173.90*41.80	217.96*136.60
	JRX101HDFLD053-C064A-Monitor	1280x800	HDMI/VGA	TBD	Free V.A	CTP	0℃~50℃	300 nits	293.00*194.00*62.00	216.96*135.60
	JRX101WXFLD051-01-CTP-Monitor	1280x800	HDMI/VGA	TBD	Free V.A	CTP	0℃~40℃	350 nits	255.26*173.90*41.80	217.96*136.60
	JRX101WSFLD028-C040A-Monitor	1024x600	HDMI	TBD	Free V.A	CTP	0℃~50℃	320 nits	258.10*166.10*43.23	222.72*125.28

10.1"	JRX101WSFPD036-C040A-RS232	1024x600	RS232	EK73215&EK79001	Free V.A	CTP	-20℃~70℃	550 nits	254.50*162.50*19.78	222.72*125.28
	JRX101WSFPD036-C040A-RS485	1024x600	RS485	EK73215&EK79001	Free V.A	CTP	-20℃~70℃	550 nits	254.50*162.50*19.78	222.72*125.28
	JRX101WSFPD036-C040A-TTL	1024x600	TTL	EK73215&EK79001	Free V.A	CTP	-20℃~70℃	550 nits	254.50*162.50*19.78	222.72*125.28
	JRX101WSFLD028A-C040A	1024x600	LVDS	EK73215&EK79001	Free V.A	CTP	-20℃~70℃	550 nits	254.50*162.50*4.87	222.72*125.28
	JRX101WSFID033A-C040A	1024x600	MIPI	EK73217&EK79007	Free V.A	CTP	-20℃~70℃	480 nits	254.50*162.50*4.87	222.72*125.28
	JRX101WSFPD036A-C040A	1024x600	RGB	EK73215&EK79001	Free V.A	CTP	-20℃~70℃	480 nits	254.50*162.50*4.87	222.72*125.28
	JRX101HDFLA060-CTP-Monitor	800x1280	HDMI	TBD	Free V.A	CTP	-10℃~60℃	500 nits	259.96*177.96*29.40	216.96*135.60
	JRX101WXFLD021-02-C045C-SP007A-HDMI	1280x800	HDMI	EK79202D_A	Free V.A	CTP	-20℃~70℃	700 nits	229.06*148.70*22.84	216.96*135.60
	JRX101WSFLA058-C065A	1024x600	LVDS	EK73215&EK79001	Free V.A	CTP	-20℃~70℃	1000 nits	254.50*162.50*6.75	222.72*125.28
	JRX101WSFPA055-C065A	1024x600	RGB	EK73215&EK79001	Free V.A	CTP	-20℃~70℃	1000 nits	254.50*162.50*6.75	222.72*125.28
	JRX101HDFLD056-C045E	1280x800	LVDS	EK79202D_A	Free V.A	CTP	-30℃~80℃	1250 nits	252.96*171.60*6.91	216.96*135.60
	JRX101WSFIA057-C065A	1024x600	MIPI	EK73217&EK79007	Free V.A	CTP	-20℃~70℃	1000 nits	254.50*162.50*6.75	222.72*125.28
	JRX101HDFLA020-C016A	1280x800	LVDS	EK79202B1	Free V.A	CTP	-20℃~70℃	1100 nits	252.70*175.55*10.31	216.96*135.60
	JRX101WXFLD021-C045C-RS232	1280x800	RS232	EK79202D_A	Free V.A	CTP	-20℃~70℃	400 nits	229.06*148.70*19.74	216.96*135.60
	JRX101WXFLD021-C045C-RS485	1280x800	RS485	EK79202D_A	Free V.A	CTP	-20℃~70℃	400 nits	229.06*148.70*19.74	216.96*135.60
	JRX101WXFLD021-C045C-TTL	1280x800	TTL	EK79202D_A	Free V.A	CTP	-20℃~70℃	400 nits	229.06*148.70*19.74	216.96*135.60
	JRX101FHFID031-C037A-CP001A-HDMI	480x1920	HDMI	ICNL9707	Free V.A	CTP	-20℃~70℃	900 nits	85.00*288.45*12.29	57.95*22.86
	JRX101WSFLA058-C065A-SP012A-HDMI	1024x600	HDMI	TBD	Free V.A	CTP	-10℃~60℃	750 nits	254.50*162.50*23.15	222.72*125.28
10.4"	JRX104C-1-C002A	800x600	RGB	TBD	V.A 6H	CTP	-10℃~50℃	200 nits	228.40*175.40*8.28	211.20*158.40
	JRX104C-1-CTP-001	800x600	RGB	TBD	V.A 6H	CTP	-10℃~50℃	250 nits	248.40*195.40*8.23	211.20*158.40
	JRX104WVTLA009-CTP-Monitor	1024x768	HDMI/VGA	TBD	Free V.A	CTP	0℃~50℃	750 nits	261.60*208.80*43.00	213.20*160.40
	JRX104HDFLA0018-C009A-Monitor	1024x768	HDMI/VGA	TBD	Free V.A	CTP	0℃~60℃	350 nits	283.00*225.20*64.00	211.20*158.48
	JRX104XGFLA011-C009A	1024x768	LVDS	TBD	Free V.A	CTP	-30℃~80℃	1300 nits	266.13*221.29*12.54	210.43*157.82
	JRX104XGFID025-C011A	1024x768	MIPI	JD9168S	Free V.A	CTP	-30℃~80℃	1050 nits	225.90*174.40*7.65	211.20*158.40
	JRX104XGFLD027-C011A	1024x768	LVDS	JD9168S	Free V.A	CTP	-30℃~80℃	1050 nits	225.90*174.40*7.65	211.20*158.40
	JRX104XGFID026-C011A	1024x768	MIPI	JD9168S	Free V.A	CTP	-30℃~80℃	1050 nits	225.90*174.40*7.65	211.20*158.40
11.2"	JRX112WQOEN001	2560x1536	MIPI	RM692H0	Free V.A	CTP	-20℃~70℃	450 nits	249.22*154.08*0.96	244.22*146.53
11.6"	JRX116HFHEA001-C001A	1920x1080	eDP	TBD	Free V.A	CTP	-20℃~70℃	800 nits	291.52*179.38*8.59	256.32*144.18
	JRX116WSFEA003-CTP-Monitor	1920x1080	VGA/HDMI/DP	TBD	Free V.A	CTP	0℃~50℃	1000 nits	298.22*186.10*44.00	257.32*145.18
	JRX116WSFEA002-C002A-SP001A-HDMI	1920x1080	HDMI	TBD	Free V.A	CTP	-10℃~60℃	750 nits	291.52*179.38*24.28	256.32*144.18
	JRX116WSFEA002-C002A-SP001A-HDMI	1920x1080	eDP	TBD	Free V.A	CTP	-20℃~70℃	1000 nits	256.92*144.78	256.32*144.18

12.1"	JRX121HDFPA001-C001B	1024x768	LVDS	TBD	Free V.A	CTP	-30℃~85℃	600 nits	281.80*220.70*11.20	245.76*184.32
	JRX121HDFLA015-CTP-Monitor	1024x768	VGA/HDMI/DP	TBD	Free V.A	CTP	-30℃~85℃	850 nits	294.50*233.00*44.00	247.00*185.50
	JRX121HDFLA013-C007A	1024x768	LVDS	TBD	Free V.A	CTP	0℃~50℃	700 nits	290.00*228.50*10.90	245.76*184.32
	JRX121HDFLA013-C007A-SP001A-HDMI	1024x768	HDMI	TBD	Free V.A	CTP	-20℃~70℃	750 nits	290.00*228.50*31.94	245.76*184.32
	JRX121HDFLD010-C008A	1280x800	LVDS	TBD	Free V.A	CTP	-30℃~80℃	1100 nits	306.50*196.20*14.50	261.12*163.20
	JRX121HDFLD009-01-C006A	1280x800	LVDS	TBD	Free V.A	CTP	-30℃~85℃	1350 nits	306.50*196.20*15.42	261.12*163.20
12.3"	JRX123WUFLD006-C002A	1920x720	LVDS	TBD	Free V.A	CTP	-30℃~85℃	950 nits	311.02*132.60*9.15	292.03*109.51
12.8"	JRX128FHFLD001-01-C002A-SP001A-HDMI	1920x1080	HDMI	TBD	Free V.A	CTP	-30℃~85℃	550 nits	320.59*196.61*29.45	283.39*159.41
13.3"	JRX133FHFED012-C008A	1920x1080	eDP	TBD	Free V.A	CTP	0℃~50℃	750 nits	325.20*199.80*4.90	293.76*165.24
	JRX133FHFLA013-C009A	1920x1080	LVDS	TBD	Free V.A	CTP	-20℃~70℃	800 nits	325.20*199.80*9.65	293.47*165.08
	JRX133FHFLA013-C009A-CP001A-HDMI	1920x1080	HDMI	TBD	Free V.A	CTP	-20℃~70℃	900 nits	325.20*199.80*22.55	293.47*165.08
	JRX133FHFLA015-C010A-Monitor	1920x1080	HDMI/VGA	TBD	Free V.A	CTP	0℃~60℃	250 nits	332.40*206.40*56.80	293.76*165.24
14.2"	JRX142QHOEN001-C001A	2650x1392	eDP	TBD	Free V.A	CTP	-40℃~85℃	650 nits	343.63*186.63*6.44	319.33*167.74
14.5"	JRX145FHFLD002-Lens	2560x720	LVDS	TBD	Free V.A	CTP	-20℃~70℃	750 nits	363.50*133.50*8.00	355.50*100.00
	JRX145OLEDN003-C003A	3000x1876	MIPI	HX5318	Free V.A	CTP	-20℃~70℃	400 nits	316.56*201.06*1.62	312.30*192.29
15.0"	JRX150XGFLD002-C001A-SP001A-HDMI	1024x768	HDMI	TBD	Free V.A	CTP	-20℃~70℃	400 nits	385.50*312.50*30.92	304.10*228.10
	JRX150HDFLA007-C006B	1280x242	LVDS	TBD	Free V.A	CTP	-20℃~70℃	950 nits	423.30*118.10*14.20	374.78*71.10
15.6"	JRX156FM-1-01-C003A	1920x1080	eDP	TBD	Free V.A	CTP	0℃~50℃	220 nits	425.76*275.19*6.90	344.16*193.59
	JRX156FHFLA007-C004A	1920x1080	LVDS	TBD	Free V.A	CTP	0℃~50℃	280 nits	373.58*228.33*11.05	344.16*193.59
	JRX156WSFEA016-01-CTP-Monitor	1920x1080	HDMI	TBD	Free V.A	CTP	0℃~50℃	300 nits	398.00*248.00*46.50	343.54*192.83
	JRX156FHFED015-C010A	1920x1080	eDP	TBD	Free V.A	CTP	0℃~50℃	400 nits	385.70*235.70*5.20	344.16*193.59
	JRX156FHFLA021-C011A-Monitor	1920x1080	HDMI/VGA	TBD	Free V.A	CTP	0℃~50℃	250 nits	376.40*236.40*43.20	344.16*193.59
	JRX156FHFED024-CTP-Monitor	1920x1080	HDMI	TBD	Free V.A	CTP	-10℃~60℃	300 nits	388.55*240.98*41.00	344.16*193.59
	JRX156FHFLA022-C008A	1920x1080	LVDS	TBD	Free V.A	CTP	-20℃~80℃	750 nits	392.00*242.00*15.55	344.16*193.59
	JRX156UHOEN018-C014A	3840x2160	eDP	RM98110	Free V.A	CTP	-20℃~70℃	320 nits	357.22*208.27*3.35	344.22*193.62
19.0"	JRX190SGFLA005-C002A	1280x1024	LVDS	TBD	Free V.A	CTP	0℃~50℃	750 nits	423.00*347.70*19.00	376.32*301.06
	JRX190SXFLA007-01-CTP-Monitor	1280x1024	HDMI/VGA	TBD	Free V.A	CTP	0℃~50℃	710 nits	429.60*357.00*43.00	376.30*301.10
	JRX190SXFLA007-CTP-Monitor	1280x1024	HDMI/VGA	TBD	Free V.A	CTP	0℃~50℃	270 nits	429.60*357.00*43.00	376.30*301.10
21.5"	JRX215WSFVA011-CTP-Monitor	1920x1080	HDMI/VGA	TBD	Free V.A	CTP	0℃~50℃	400 nits	510.00*306.60*56.20	475.64*268.11
23.6"	JRX236WSFLD002-CTP-Monitor	1920x1080	HDMI	TBD	Free V.A	CTP	0℃~50℃	180 nits	559.00*335.00*56.20	521.47*293.10
27.0"	JRX270WSFLA004-CTP-Monitor	1920x1080	HDMI/VGA	TBD	Free V.A	CTP	0℃~50℃	180 nits	644.40*382.60*59.40	597.60*336.15
	JRX270WSFLA005-CTP-Monitor	1920x1080	HDMI	TBD	Free V.A	CTP	0℃~40℃	300 nits	645.40*383.20*62.50	598.00*336.50
31.5"	JRX315WSFVA002-CTP-Monitor	1920x1080	HDMI/VGA	TBD	Free V.A	CTP	0℃~50℃	300 nits	748.60*451.20*51.00	698.60*392.10
	JRX315FHFLA001-C001A	1920x1080	LVDS	TBD	Free V.A	CTP	0℃~50℃	900 nits	746.70*441.30*19.80	698.40*392.85
32.0"	JRX320HFHUA003-C003A-Monitor	1920x1080	HDMI	TBD	Free V.A	CTP	0℃~40℃	400 nits	745.50*440.50*66.50	698.00*393.00
	JRX320FHFLA005	1920x1080	LVDS	TBD	Free V.A	CTP	-20℃~70℃	1700 nits	719.40*416.90*26.60	698.40*392.90